

US00D496600S1

(12) **United States Design Patent**
Maeno et al.

(10) **Patent No.:** **US D496,600 S**
(45) **Date of Patent:** **** Sep. 28, 2004**

(54) **PH ELECTRODE**

(75) Inventors: **Akio Maeno**, Kyoto (JP); **Yuri Aono**,
Kyoto (JP); **Koji Ueda**, Kyoto (JP);
Hiroki Tanabe, Kyoto (JP)

(73) Assignee: **Horiba, Ltd.**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/189,422**

(22) Filed: **Sep. 5, 2003**

(30) **Foreign Application Priority Data**

Mar. 6, 2003 (JP) 2003-005900

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/81**

(58) **Field of Search** D10/81; 204/406-408,
204/416, 433

(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,803 S * 10/1994 Foley D10/81

D360,840 S * 8/1995 Brockway et al. D10/81
D453,905 S * 2/2002 Cheng D10/81
6,395,158 B1 * 5/2002 King et al. 204/420
D462,024 S * 8/2002 Nardo et al. D10/81
2003/0178305 A1 * 9/2003 Catalano et al. 204/433

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a PH electrode, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and left end of a PH electrode showing our new design;
FIG. 2 is a left end elevational view thereof;
FIG. 3 is a right end elevational view thereof
FIG. 4 is a front elevational view thereof, the rear view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

