

US00D496616S1

(12) **United States Design Patent**
Hoelzel et al.

(10) **Patent No.: US D496,616 S**
(45) **Date of Patent: ** Sep. 28, 2004**

(54) **SURFACE CONFIGURATION OF A SIDE MIRROR FOR A VEHICLE**

(75) Inventors: **Guenter Hoelzel**, Hochdorf (DE); **Jens Manske**, Yokohama (JP)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/189,492**

(22) Filed: **Sep. 8, 2003**

(30) **Foreign Application Priority Data**

Mar. 7, 2003 (DE) 403 01 893

(51) **LOC (7) Cl.** **12-16**

(52) **U.S. Cl.** **D12/187**

(58) **Field of Search** D12/187-189;
359/838-851, 855-868, 871-881

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,570 S	*	5/1990	Swanson	D12/187
D410,421 S	*	6/1999	Pfeiffer	D12/187
D445,386 S	*	7/2001	Sacco et al.	D12/187
D453,721 S	*	2/2002	Papke et al.	D12/187
D463,342 S	*	9/2002	Sinkwitz	D12/187
D463,766 S	*	10/2002	Murkett	D12/187
D484,837 S	*	1/2004	Liu	D12/187

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a side mirror for a vehicle, as shown and described.

DESCRIPTION

This application is related to co-pending Application Ser. No. 29/189,489, of the inventors, filed on even date herewith and entitled Surface Configuration of a Vehicle, Toy and/or Other Replicas.

FIG. 1 is a front perspective view of a first embodiment of a surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 2 is a rear perspective view of the first embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 3 is a side view of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 4 is a front view of the first embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 5 is a top view of the first embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 6 is a front perspective view of a second embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 7 is a rear perspective view of the second embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;



FIG. 8 is a side view of the second embodiment of the surface configuration of a side mirror for a vehicle according to our novel design;

FIG. 9 is a front view of the second embodiment of the surface configuration of a side mirror for a vehicle according to our novel design; and,

FIG. 10 is a top view of the second embodiment of the surface configuration of a side mirror for a vehicle according to our novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10