

US00D496716S1

(12) **United States Design Patent** (10) **Patent No.:** **US D496,716 S**
Green (45) **Date of Patent:** **** Sep. 28, 2004**

(54) **HANDLE**

(75) **Inventor:** **Eric D. Green**, Cleveland Heights, OH (US)

(73) **Assignee:** **Moen Incorporated**, North Olmsted, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/190,448**

(22) **Filed:** **Sep. 18, 2003**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/252**

(58) **Field of Search** D23/238–257;
 D8/300–322, 350–353, DIG. 3; 16/110.1;
 4/675–678; 137/801

D387,135 S 12/1997 Donahue et al.
 D387,416 S 12/1997 Chin
 D391,342 S 2/1998 Donahue et al.
 D392,025 S 3/1998 Doughty et al.
 D392,721 S 3/1998 Doughty et al.
 D397,423 S 8/1998 Short et al.
 D406,877 S 3/1999 Esche et al.
 D409,285 S 5/1999 Donahue et al.
 D409,289 S * 5/1999 Hyde et al. D23/252
 D409,726 S 5/1999 Formgren
 D417,490 S 12/1999 Formgren
 D421,095 S 2/2000 Sawhney et al.
 D421,096 S 2/2000 Sawhney et al.
 D424,173 S 5/2000 Donahue et al.
 D424,663 S 5/2000 Mark et al.
 D444,851 S 7/2001 Sturgeon
 D444,856 S 7/2001 Green et al.
 D458,666 S 6/2002 Mark et al.
 D460,152 S 7/2002 Green et al.
 D460,999 S 7/2002 Lord
 D461,877 S 8/2002 Veltz

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,426 S 10/1964 Armstrong
 D219,779 S 1/1971 Tiller
 D219,781 S * 1/1971 Niemann D23/252
 D219,782 S 1/1971 Tiller
 D223,913 S 6/1972 Niemann
 D290,740 S 7/1987 Yost
 D291,234 S 8/1987 Bergmann et al.
 D291,235 S 8/1987 Bergmann et al.
 D293,605 S 1/1988 Bergmann et al.
 D297,358 S 8/1988 Hill
 4,804,010 A 2/1989 Meissenburg
 D324,725 S * 3/1992 Lang et al. D23/252
 D327,533 S 6/1992 Caywood
 D347,270 S 5/1994 Yost
 D349,154 S 7/1994 Mark
 D358,869 S 5/1995 Mark et al.
 D359,112 S 6/1995 Mark et al.
 D380,809 S 7/1997 Warshawsky
 D384,729 S 10/1997 Fabian
 D387,130 S 12/1997 Warshawsky
 D387,131 S 12/1997 Short et al.
 D387,132 S 12/1997 Donahue et al.
 D387,134 S 12/1997 Donahue et al.

(List continued on next page.)

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Gregory Andoll
 (74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold LLP


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle showing a first embodiment of my new design;
 FIG. 2 is a left side elevational view of the handle of FIG. 1, the right side being a mirror image;
 FIG. 3 is a front elevational view of the handle of FIG. 1;
 FIG. 4 is a rear elevational view of the handle of FIG. 1;
 FIG. 5 is a top plan view of the handle of FIG. 1; and,
 FIG. 6 is a bottom plan view of the handle of FIG. 1.
 The broken line showings in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D496,716 S

Page 2

U.S. PATENT DOCUMENTS

D467,306 S 12/2002 Lord
D467,642 S 12/2002 Panis et al.
D467,995 S 12/2002 Lord
D467,996 S 12/2002 Panis et al.
D468,400 S 1/2003 Panis et al.

D470,916 S 2/2003 Friedrich
D470,917 S 2/2003 Friedrich
D471,254 S 3/2003 Bonnell et al.
D471,620 S 3/2003 Zhao
D473,290 S 4/2003 Zhao

* cited by examiner




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 496,716 S
DATED : September 28, 2004
INVENTOR(S) : Eric D. Green

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,
Item [57], **DESCRIPTION,**
FIG. 1, please delete "a first embodiment of".

Signed and Sealed this

Twenty-third Day of August, 2005

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office