

US00D496730S1

(12) **United States Design Patent** (10) **Patent No.:** **US D496,730 S**
Morawski et al. (45) **Date of Patent:** **** Sep. 28, 2004**

(54) **SURGICAL KNIFE SAFETY HANDLE**
 (75) Inventors: **Michael J. Morawski**, Haverhill, MA (US); **Dana M. Cote**, Saugus, MA (US)
 (73) Assignee: **Becton, Dickinson & Company**, Franklin Lakes, NJ (US)
 (**) Term: **14 Years**

5,752,968 A 5/1998 Jolly et al. 606/167
 5,792,162 A 8/1998 Jolly et al. 606/167
 5,827,309 A 10/1998 Jolly et al. 606/167
 5,924,206 A * 7/1999 Cote et al. D24/146
 D421,303 S 2/2000 Cote et al. D24/133
 6,065,889 A 5/2000 Maruyama et al. 401/65
 6,089,775 A 7/2000 Yokouchi 401/65
 D466,214 S * 11/2002 Otsuka D24/147
 6,503,262 B1 * 1/2003 Edens 606/167
 D470,938 S * 2/2003 Howell et al. D24/147
 6,569,175 B1 * 5/2003 Robinson 606/166

(21) Appl. No.: **29/177,716**
 (22) Filed: **Mar. 17, 2003**

(51) **LOC (7) Cl.** **24-02**
 (52) **U.S. Cl.** **D24/147; D24/133; D24/146**
 (58) **Field of Search** D24/147, 133, D24/146; 606/167, 166, 161; D8/107, 99, 91, 83; 30/151, 162, 329, 333, 335, 295, 282, 286, 337

* cited by examiner

Primary Examiner—Ian Simmons
 (74) *Attorney, Agent, or Firm*—Alan W. Fiedler

(57) **CLAIM**

The ornamental design for a surgical knife safety handle, as shown and described.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,500,220 A 2/1985 Hashimoto 401/53
 D283,544 S * 4/1986 Schmidt et al. D24/147
 4,735,202 A 4/1988 Williams 128/305
 4,757,612 A 7/1988 Peyrot 30/151
 4,826,339 A 5/1989 Sasaki 401/269
 5,071,426 A 12/1991 Dolgin et al. 606/167
 5,139,507 A 8/1992 Dolgin et al. 606/167
 5,207,696 A 5/1993 Matwijcow 606/167
 5,250,063 A 10/1993 Abidin et al. 606/167
 5,254,128 A 10/1993 Mesa 606/167
 5,275,606 A 1/1994 Abidin et al. 606/167
 5,299,357 A 4/1994 Wonderley et al. 30/339
 5,309,641 A 5/1994 Wonderley et al. 30/339
 5,411,512 A 5/1995 Abidin et al. 606/167
 5,417,704 A 5/1995 Wonderley 606/167
 5,496,340 A 3/1996 Abidin et al. 606/167
 5,569,281 A 10/1996 Abidin et al. 606/167
 5,577,850 A 11/1996 Mishima 401/83
 5,620,454 A 4/1997 Pierce et al. 606/167
 5,662,669 A 9/1997 Abidin et al. 606/167
 5,683,407 A 11/1997 Jolly et al. 606/181
 5,741,289 A 4/1998 Jolly et al. 606/181
 5,749,886 A 5/1998 Abidin et al. 606/182

FIG. 1 is a perspective view of a first embodiment of a surgical knife safety handle showing our new design, with the guard extended to cover the surgical knife blade; FIG. 2 is a top view of the surgical knife safety handle shown in FIG. 1; FIG. 3 is a bottom view of the surgical knife safety handle shown in FIG. 1; FIG. 4 is a left side elevational view of the surgical knife safety handle shown in FIG. 1; FIG. 5 is a right side elevational view of the surgical knife safety handle shown in FIG. 1; FIG. 6 is a front elevational view of the surgical knife safety handle shown in FIG. 1; FIG. 7 is a rear elevational view of the surgical knife safety handle shown in FIG. 1; and, FIG. 8 is a perspective view of the surgical knife safety handle shown in FIG. 1, with the guard retracted to expose the surgical knife blade. The broken line showing of the surgical knife blade and blade support is for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8