

US00D497097S1

(12) **United States Design Patent**
Graves

(10) **Patent No.:** **US D497,097 S**

(45) **Date of Patent:** **** Oct. 12, 2004**

(54) **LOCKING OR SEALING DEVICE**
(75) Inventor: **Daniel Graves, Bexley (GB)**
(73) Assignee: **Illinois Tool Works Inc., Glenview, IL (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/186,698**

(22) Filed: **Jul. 21, 2003**

(51) **LOC (7) Cl.** **08-07**

(52) **U.S. Cl.** **D8/330; D8/343**

(58) **Field of Search** D8/330, 331, 343,
D8/349, 499, 383; 70/51, 57, 58, 163, 164,
188, 192, 258, 431, 466, 14, 20, 30, 49,
50; 292/327-331

(56) **References Cited**

U.S. PATENT DOCUMENTS

622,599	A	*	4/1899	Brooks	292/318
1,013,891	A	*	1/1912	Page	292/329
1,440,949	A	*	1/1923	Aldrich et al.	292/285
3,372,952	A	*	3/1968	Newton	292/307 R
3,945,671	A	*	3/1976	Gerlach	292/323
D249,871	S	*	10/1978	Cannon	D8/343

D376,747	S	*	12/1996	Jackson	D8/330
D385,770	S	*	11/1997	Jackson	D8/330
6,363,758	B1	*	4/2002	Ling	70/30
6,401,502	B1	*	6/2002	Yang	70/30
6,408,660	B1	*	6/2002	Lai	70/30

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Mark W. Croll; Paul F. Donovan

(57) **CLAIM**

The ornamental design for a locking or sealing device, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a locking or sealing device showing my new design, with associated strap or cable; FIG. 2 is a left side view with the strap or cable omitted; FIG. 3 is front view; FIG. 4 is right side view with the strap or cable omitted; FIG. 5 is a rear view; and, FIG. 6 is a bottom view.

The broken lines in FIGS. 3 and 5 are for illustrative purpose only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6