



US00D497380S1

(12) **United States Design Patent**
Thixton et al.

(10) **Patent No.:** **US D497,380 S**
(45) **Date of Patent:** **** Oct. 19, 2004**

(54) **EYEGLOSS AND EYEGLOSS COMPONENTS**

(75) Inventors: **Lek Thixton**, Eastsound, WA (US);
Colin Baden, Irvine, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/178,241**

(22) Filed: **Mar. 20, 2003**

(51) **LOC (7) Cl.** **16-06**

(52) **U.S. Cl.** **D16/326; D16/321**

(58) **Field of Search** **D16/101, 300-330,**
D16/335; D29/109-110; D14/110.2; 351/41,
44, 51-52, 111, 158; 2/426, 446-448

(56) **References Cited**

U.S. PATENT DOCUMENTS

D167,704 S	9/1952	McCardell
D187,299 S	2/1960	Behr
D189,436 S	12/1960	Carmichael
D192,884 S	5/1962	Petitto
D198,939 S	8/1964	Huggins
D204,417 S	4/1966	Shindler
D204,418 S	4/1966	Ramp
D204,812 S	5/1966	Shindler
D205,419 S	8/1966	Griss
D206,353 S	11/1966	Bloch et al.
D209,095 S	10/1967	Ramp
D214,292 S	5/1969	Mitchell
D362,260 S	9/1995	Lin
D369,375 S	4/1996	Jannard et al.
D373,781 S	9/1996	Simioni et al.
D378,375 S	3/1997	Tsai
D384,686 S	10/1997	Jannard et al.
D392,307 S	3/1998	Wilson
D397,350 S	8/1998	Jannard et al.
D399,238 S	10/1998	Simioni

D404,754 S	1/1999	Yee et al.
D406,858 S	3/1999	Arnette
D408,048 S	4/1999	Jannard et al.
D415,188 S	10/1999	Thixton et al.
D422,010 S	3/2000	Arnette
D423,034 S	4/2000	Arnette
D423,548 S	4/2000	Yee et al.
D428,621 S	7/2000	Arnette
D434,788 S	12/2000	Conway
D457,182 S	5/2002	Rask
D461,834 S	8/2002	Jannard et al.
D463,478 S	9/2002	Moritz
D464,669 S	10/2002	Thixton et al.

OTHER PUBLICATIONS

B.B. SOL, "Mode 72", published by B.B. Sol, France, unknown publishing date.

U.S. patent application Ser. No. 29/174,707, Baden et al., filed Jan. 22, 2003, pending.

U.S. patent application Ser. No. 29/176,099, Yee, filed Feb. 13, 2003, pending.

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson


(57) **CLAIM**

The ornamental design for an eyeglass and eyeglass components, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass and the eyeglass components of the present invention; FIG. 2 is a rear elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof; FIG. 5 is a bottom plan view thereof; and, FIG. 6 is a top plan view thereof.

1 Claim, 4 Drawing Sheets






FIG 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6