

US00D497446S1

(12) **United States Design Patent** (10) **Patent No.:** **US D497,446 S**
Kingston et al. (45) **Date of Patent:** **** Oct. 19, 2004**

(54) **LIGHTING DEVICE**

(75) Inventors: **Ronald J. Kingston**, Syracuse, NY (US); **Scott W. Osiecki**, Skaneateles, NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/199,037**

(22) Filed: **Feb. 9, 2004**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Search** D26/37-50; 362/157, 362/158, 171-174, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,090 S	*	4/1999	Monteleone et al.	D26/37
D447,585 S	*	9/2001	Dalton et al.	D26/37
D484,264 S	*	12/2003	Dalton et al.	D26/37
D485,627 S	*	1/2004	Chun	D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a view of the top of the lighting device of the present invention;

FIG. 2 is a view of the bottom of the lighting device of the present invention;

FIG. 3 is a view of the front of the lighting device of the present invention;

FIG. 4 is a view of the left front of the lighting device of the present invention;

FIG. 5 is a view of the left side of the lighting device of the present invention;


FIG. 6 is a view of the right front of the lighting device of the present invention;

FIG. 7 is a view of the right rear of the lighting device of the present invention;

FIG. 8 is a view of the right side of the lighting device of the present invention; and,

FIG. 9 is a view of the rear of the lighting device of the present invention.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 9




Fig. 3




Fig. 4



Fig. 5



Fig. 8




Fig. 6




Fig. 7