

US00D497571S1

(12) **United States Design Patent**  
Newton et al.

(10) **Patent No.:** **US D497,571 S**  
(45) **Date of Patent:** **\*\* Oct. 26, 2004**

(54) **RAILCAR BEAM**  
(75) Inventors: **Steven R. Newton**, Adams, NY (US);  
**Jeffrey F. Sauter**, Lowville, NY (US);  
**Howard E. Huber, Jr.**, Black River,  
NY (US); **Robert L. Neulieb**, Theresa,  
NY (US)  
(73) Assignee: **New York Air Brake Corporation**,  
Watertown, NY (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/183,021**  
(22) Filed: **Jun. 5, 2003**  
(51) **LOC (7) Cl.** ..... **12-03**  
(52) **U.S. Cl.** ..... **D12/46**  
(58) **Field of Search** ..... D12/42, 45-46;  
188/219.1, 219.6, 220.1, 220.6, 221.1, 222.1,  
223.6; 403/272

3,107,754 A 10/1963 Bachman  
3,177,984 A 4/1965 Taylor  
3,298,474 A 1/1967 Roselius et al.  
3,365,852 A 1/1968 Pitillo  
3,378,108 A 4/1968 McClure et al.  
3,406,791 A 10/1968 Williams  
3,499,507 A 3/1970 Scott et al.  
3,731,766 A 5/1973 Campbell  
3,780,837 A 12/1973 Haydu  
3,907,078 A 9/1975 Means  
4,159,187 A \* 6/1979 Cale ..... 403/272  
4,613,016 A 9/1986 Hart et al.  
4,653,812 A 3/1987 Engle  
4,766,980 A 8/1988 Engle  
4,771,868 A 9/1988 Haydu  
4,793,446 A 12/1988 Hart et al.  
5,000,298 A \* 3/1991 Jackson et al. .... 188/219.1  
5,069,312 A 12/1991 Kanjo et al.  
5,259,485 A 11/1993 Jackson  
5,400,874 A 3/1995 Gayfer et al.  
5,495,921 A 3/1996 Samulak et al.  
5,667,040 A 9/1997 Samulak et al.

(List continued on next page.)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

270,871 A \* 1/1883 Woodcock ..... 188/219.1  
408,021 A 7/1889 Hughes  
568,044 A 9/1896 Robischung  
575,420 A 1/1897 Farley  
715,518 A 12/1902 Simpson  
729,924 A 6/1903 Frost  
747,288 A 12/1903 Wolff et al.  
749,567 A 1/1904 Lamont  
794,404 A 7/1905 Green  
796,714 A 8/1905 Frost  
979,968 A 12/1910 Kofske  
994,323 A 6/1911 Marquart  
1,301,433 A 4/1919 Hedgcock  
1,498,176 A 6/1924 Lachman  
2,058,199 A \* 10/1936 Widdicombe ..... 188/220.1  
2,116,594 A 5/1938 Busch  
2,182,210 A 12/1939 Osner et al.  
2,329,247 A 9/1943 Busse et al.  
2,480,857 A 9/1949 Hess  
2,491,086 A 12/1949 Busch  
2,885,036 A 5/1959 Walker

*Primary Examiner*—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—Barnes & Thornburg LLP


(57) **CLAIM**

The ornamental design for a “railcar beam,” as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a railcar beam, according to the principles of the present invention. FIG. 2 is a plan view of the embodiment of FIG. 1. FIG. 3 is a bottom view of the embodiment of FIG. 1. FIG. 4 is an end view of the embodiment of FIG. 1. FIG. 5 is the other end view of the embodiment of FIG. 1. FIG. 6 is a rear view of the embodiment of FIG. 1; and, FIG. 7 is a perspective view of the embodiment of FIG. 1 with removable brake heads shown in phantom. The broken line showing of brake heads is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D497,571 S


Page 2

---

## U.S. PATENT DOCUMENTS

5,785,159	A	7/1998	Jackson et al.	6,241,057	B1	6/2001	Hiatt
5,810,124	A	9/1998	Sandmann	6,332,515	B1	12/2001	Sauter
5,947,236	A	9/1999	Sauter	6,347,447	B1	2/2002	Sauter
6,155,387	A	12/2000	Sauter	6,397,979	B1	6/2002	Samulak et al.
6,176,354	B1	1/2001	Sauter et al.				

\* cited by examiner



*FIG. 1*

*FIG. 2*



*FIG. 3*







*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*