

US00D497571S1

(12) **United States Design Patent** (10) **Patent No.:** **US D497,571 S**
Newton et al. (45) **Date of Patent:** **** Oct. 26, 2004**

(54) **RAILCAR BEAM**
(75) Inventors: **Steven R. Newton**, Adams, NY (US);
Jeffrey F. Sauter, Lowville, NY (US);
Howard E. Huber, Jr., Black River,
NY (US); **Robert L. Neulieb**, Theresa,
NY (US)
(73) Assignee: **New York Air Brake Corporation**,
Watertown, NY (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/183,021**
(22) Filed: **Jun. 5, 2003**
(51) **LOC (7) Cl.** **12-03**
(52) **U.S. Cl.** **D12/46**
(58) **Field of Search** D12/42, 45-46;
188/219.1, 219.6, 220.1, 220.6, 221.1, 222.1,
223.6; 403/272

3,107,754 A 10/1963 Bachman
3,177,984 A 4/1965 Taylor
3,298,474 A 1/1967 Roselius et al.
3,365,852 A 1/1968 Pitillo
3,378,108 A 4/1968 McClure et al.
3,406,791 A 10/1968 Williams
3,499,507 A 3/1970 Scott et al.
3,731,766 A 5/1973 Campbell
3,780,837 A 12/1973 Haydu
3,907,078 A 9/1975 Means
4,159,187 A * 6/1979 Cale 403/272
4,613,016 A 9/1986 Hart et al.
4,653,812 A 3/1987 Engle
4,766,980 A 8/1988 Engle
4,771,868 A 9/1988 Haydu
4,793,446 A 12/1988 Hart et al.
5,000,298 A * 3/1991 Jackson et al. 188/219.1
5,069,312 A 12/1991 Kanjo et al.
5,259,485 A 11/1993 Jackson
5,400,874 A 3/1995 Gayfer et al.
5,495,921 A 3/1996 Samulak et al.
5,667,040 A 9/1997 Samulak et al.

(List continued on next page.)

(56) **References Cited**

U.S. PATENT DOCUMENTS

270,871 A * 1/1883 Woodcock 188/219.1
408,021 A 7/1889 Hughes
568,044 A 9/1896 Robischung
575,420 A 1/1897 Farley
715,518 A 12/1902 Simpson
729,924 A 6/1903 Frost
747,288 A 12/1903 Wolff et al.
749,567 A 1/1904 Lamont
794,404 A 7/1905 Green
796,714 A 8/1905 Frost
979,968 A 12/1910 Kofske
994,323 A 6/1911 Marquart
1,301,433 A 4/1919 Hedgcock
1,498,176 A 6/1924 Lachman
2,058,199 A * 10/1936 Widdicombe 188/220.1
2,116,594 A 5/1938 Busch
2,182,210 A 12/1939 Osner et al.
2,329,247 A 9/1943 Busse et al.
2,480,857 A 9/1949 Hess
2,491,086 A 12/1949 Busch
2,885,036 A 5/1959 Walker

Primary Examiner—Nelson C. Holtje
(74) *Attorney, Agent, or Firm*—Barnes & Thornburg LLP


(57) **CLAIM**

The ornamental design for a “railcar beam,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a railcar beam, according to the principles of the present invention. FIG. 2 is a plan view of the embodiment of FIG. 1. FIG. 3 is a bottom view of the embodiment of FIG. 1. FIG. 4 is an end view of the embodiment of FIG. 1. FIG. 5 is the other end view of the embodiment of FIG. 1. FIG. 6 is a rear view of the embodiment of FIG. 1; and, FIG. 7 is a perspective view of the embodiment of FIG. 1 with removable brake heads shown in phantom. The broken line showing of brake heads is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D497,571 S

Page 2

U.S. PATENT DOCUMENTS

5,785,159	A	7/1998	Jackson et al.	6,241,057	B1	6/2001	Hiatt
5,810,124	A	9/1998	Sandmann	6,332,515	B1	12/2001	Sauter
5,947,236	A	9/1999	Sauter	6,347,447	B1	2/2002	Sauter
6,155,387	A	12/2000	Sauter	6,397,979	B1	6/2002	Samulak et al.
6,176,354	B1	1/2001	Sauter et al.				

* cited by examiner




FIG. 1

FIG. 2



FIG. 3





FIG. 4



FIG. 5




FIG. 6




FIG. 7