

US00D497876S1

(12) **United States Design Patent** (10) **Patent No.:** **US D497,876 S**
Williams (45) **Date of Patent:** **** Nov. 2, 2004**

(54) **TIRE TREAD**

(75) Inventor: **Ellen MacDonald Williams**, Greer, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/186,533**

(22) Filed: **Jul. 17, 2003**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/595**

(58) **Field of Search** D12/544, 551, D12/553, 555, 559, 562, 564-565, 579, 586, 588, 590, 594-595, 598, 600, 601, 900; 152/209.1, 209.12, 209.18, 209.25

(56) **References Cited**

U.S. PATENT DOCUMENTS

D390,519 S	2/1998	White	D12/147
D403,994 S	1/1999	Williams	D12/146
D454,536 S	3/2002	Oliver	D12/603
D490,366 S	* 5/2004	Kindig et al.	D12/601

OTHER PUBLICATIONS

- Dunlop G/T Qualifier Tire, 2002 Tread Design Guide, Jan. 2002, p. 27. 1/4.*
 Maxxis UA-603 Tire, 2002 Tread Design Guide, Jan. 2002, p. 45. 3/5.*
 Remington XT-120 ZR4 Tire, 2002 Tread Design Guide, Jan. 2002, p. 57. 4/2.*
 NTB Dunlop Touring LT Tire, 2002 Tread Design Guide, Jan. 2002, p. 102. 1/3.*

Tread Design Guide, 1997, p. 14, Bridgestone Potenza RE88.

Tread Design Guide, 1997, p. 39, Hankook H704 Radial. Tread Design Guide, 1997, p. 73, Sumitomo Cyclone Radial GT.

Tread Design Guide, 2001, p. 71, Uniroyal Tiger Paw Touring HR.

Tread Design Guide, 2001, p. 75, Yokohama S306.

Tread Design Guide, 2002, p. 15, Aurora Radial H710.

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Robert R. Reed; Christopher Crecente; Martin Farrell

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of a tire, the opposite side perspective view being an inverted image thereof; and,

FIG. 2 is an enlarged fragmentary front elevation view of the tire tread thereof of FIG. 1.

In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown along the right edge of FIG. 1. The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2