

US00D497884S1

(12) **United States Design Patent** (10) **Patent No.:** **US D497,884 S**
Suenaga (45) **Date of Patent:** **** Nov. 2, 2004**

(54) **LIGHT EMITTING DIODE**
 (75) Inventor: **Ryoma Suenaga, Komatsushima (JP)**
 (73) Assignee: **Nichia Corporation, Anan (JP)**
 (**) Term: **14 Years**
 (21) Appl. No.: **29/196,801**
 (22) Filed: **Jan. 7, 2004**

D439,351 S 3/2001 Kiba et al.
 6,608,334 B1 * 8/2003 Ishinaga 257/100
 D486,801 S * 2/2004 Suenaga D13/182
 D488,137 S * 4/2004 Kamada D13/182
 D491,899 S * 6/2004 Yagi D13/180

FOREIGN PATENT DOCUMENTS

JP D1046564 8/1999
 JP D1146343 7/2002
 JP D1146344 7/2002

* cited by examiner

Related U.S. Application Data

(62) Division of application No. 29/169,617, filed on Oct. 24, 2002, now Pat. No. Des. 486,801.

(30) **Foreign Application Priority Data**

Sep. 26, 2002 (JP) 2002-026314
 Sep. 26, 2002 (JP) 2002-026315

(51) **LOC (7) Cl.** **13-03**
 (52) **U.S. Cl.** **D13/180**
 (58) **Field of Search** D13/180, 182;
 D10/104, 114; 257/76, 79, 88, 89, 93-99,
 434, 676, 678, 687, 690, 698, 787; 313/498,
 499, 500; 372/45; 361/260, 820, 226, 246,
 249, 250, 307, 555, 800

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,855,606 A 12/1974 Schoberl
 3,914,786 A 10/1975 Grossi
 4,152,624 A 5/1979 Knaebel
 D289,037 S 3/1987 Nishizawa et al.
 5,266,817 A 11/1993 Lin
 RE36,614 E 3/2000 Lombard et al.
 D432,095 S 10/2000 Seeger et al.

Primary Examiner—Stella Reid
Assistant Examiner—Selina Sikder
 (74) *Attorney, Agent, or Firm*—Smith Patent Office


(57) **CLAIM**

I claim the ornamental design for the light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light emitting diode showing my new design;
 FIG. 2 is a top plan view of the light emitting diode according to the embodiment of FIG. 1;
 FIG. 3 is a left side elevation view of the light emitting diode according to the embodiment of FIG. 1;
 FIG. 4 is a front elevation view of the light emitting diode according to the embodiment of FIG. 1;
 FIG. 5 is a right side elevation view of the light emitting diode according to the embodiment of FIG. 1;
 FIG. 6 is a rear elevation view of the light emitting diode according to the embodiment of FIG. 1; and,
 FIG. 7 is a bottom plan view of the light emitting diode according to the embodiment of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7