



US00D497921S1

(12) **United States Design Patent**
Schmidt et al.(10) Patent No.: **US D497,921 S**
(45) Date of Patent: ** Nov. 2, 2004(54) **MODULAR REFRIGERATOR**(75) Inventors: **Duane A. Schmidt**, Newburgh, IN (US); **Allan R. Steinkuhl**, Evansville, IN (US); **Joseph L. Coleman**, Evansville, IN (US)(73) Assignee: **Whirlpool Corporation**, Benton Harbor, MI (US)(**) Term: **14 Years**(21) Appl. No.: **29/173,543**(22) Filed: **Dec. 30, 2002**(51) LOC (7) Cl. **15-07**(52) U.S. Cl. **D15/91**

(58) Field of Search D15/79, 81, 89, D15/91; D6/432, 582; D12/203, 221; D25/62, 163; 238/14; 152/208; 404/19, 35

(56) **References Cited**

U.S. PATENT DOCUMENTS

D95,158 S	4/1935	Surerus
4,787,556 A	* 11/1988	Heisson
D333,645 S	* 3/1993	Tyler
D370,452 S	* 6/1996	Beasley
D372,011 S	* 7/1996	Tyler
5,807,021 A	* 9/1998	Aaron
D441,093 S	* 4/2001	Johnson
D456,533 S	* 4/2002	Moller, Jr.
D471,377 S	3/2003	Gledhill et al.
D474,563 S	5/2003	Bresciani

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) Attorney, Agent, or Firm—Stephen Krefman; Robert O. Rice; John F. Colligan

(57) **CLAIM**

The ornamental design for a modular refrigerator, as shown and described.

DESCRIPTION

FIG. 1 is a right front perspective view of the design of the modular refrigerator;

FIG. 2 is a front elevational view thereof. The ornamental design is not visible in a rear view, top plan view or bottom view;

FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 4 is an enlarged view of the pattern on the modular refrigerator door of the embodiment of FIG. 1;

FIG. 5 is a right front perspective view of another embodiment of the modular refrigerator, the only difference being the addition of a bumper for the modular refrigerator, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1 including the pattern on the modular refrigerator door and that the left side is identical to the right side shown in this FIG. 5.

FIG. 6 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the addition of a top on the modular refrigerator, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1;

FIG. 7 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1;

FIG. 8 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 7;

FIG. 9 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1;

FIG. 10 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 9;




FIG. 11 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 12 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 11; FIG. 13 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 14 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 13. FIG. 15 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1. FIG. 16 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 15. FIG. 17 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 18 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 17; FIG. 19 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 20 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 19; FIG. 21 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 22 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 21; FIG. 23 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1;

FIG. 24 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 23; FIG. 25 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 26 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 25; FIG. 27 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 28 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 27; FIG. 29 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of the pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 30 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 29; FIG. 31 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the configuration of pattern on the modular refrigerator door, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1; FIG. 32 is an enlarged view of the pattern on the modular refrigerator door of the embodiment as shown in FIG. 30; and, FIG. 33 is a right front perspective view of another embodiment of the modular refrigerator of FIG. 1, the only difference being the addition of the wheels for the modular refrigerator, it being understood that all other surfaces are the same as those of the embodiment of FIG. 1 including the pattern on the modular refrigerator door.

Those portions of modular refrigerator in broken lines, specifically the surfaces of the modular refrigerator at the top and bottom edges of the door and surfaces extending back from the door including other surfaces of the modular refrigerator are not part of the claimed invention.




Fig. 1




Fig. 2

Fig. 4





Fig. 3






Fig. 5




Fig. 6




Fig. 8




Fig. 7

Fig. 10





Fig. 9






Fig. 12




Fig. 11




Fig. 14




Fig. 13

Fig. 16





Fig. 15






Fig. 18




Fig. 17

Fig. 20





Fig. 19






Fig. 22




Fig. 21

Fig. 24




Fig. 23




Fig. 26




Fig. 25




Fig. 28




Fig. 27




Fig. 30




Fig. 29




Fig. 32





Fig. 31






Fig. 33