

US00D498013S1

# (12) United States Design Patent (10) Patent No.:

US D498,013 S Nov. 2, 2004 Pfeiffer (45) Date of Patent:

### SURFACE CONFIGURATION OF A (54)TAILLIGHT FOR A VEHICLE

Inventor: Peter Pfeiffer, Boeblingen (DE)

Assignee: DaimlerChrysler AG, Stuttgart (DE)

Term: 14 Years

Appl. No.: 29/190,713

Sep. 26, 2003 Filed:

#### Foreign Application Priority Data (30)

Ap	r. 8, 2003	(DE) .	••••••	•••••		403 02 835
(51)	LOC (7)	Cl	• • • • • • • • • • • • • • • • • • • •			26-04
(52)	<b>U.S. Cl.</b> .	•••••	• • • • • • • • • • • • • • • • • • • •			D26/28
(58)	Field of S	Search		D26/28-3	36; 362	/459–468,

362/473–476, 485–487

#### (56)**References Cited**

## U.S. PATENT DOCUMENTS

D450,141 S		11/2001	Sacco et al.	
D472,657 S	*	4/2003	Pfeiffer et al.	 D26/28
D490.170 S	*	5/2004	Metros et al.	 D26/28

<sup>\*</sup> cited by examiner

Primary Examiner—Marcus A Jackson

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

**CLAIM** (57)

The ornamental design for a surface configuration of a taillight for a vehicle, as shown and described.

## **DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a surface configuration of a taillight for a vehicle according to my novel design;

FIG. 2 is a side view of the first embodiment of the surface configuration of a taillight for a vehicle according to my novel design;


FIG. 3 is a front view of the first embodiment of the surface configuration of a taillight for a vehicle according to my novel design;

FIG. 4 is a perspective view of a second embodiment of the surface configuration of a taillight for a vehicle according to my novel design;

FIG. 5 is a side view of the second embodiment of the surface configuration of a taillight for a vehicle according to my novel design; and,

FIG. 6 is a front view of the second embodiment of the surface configuration of a taillight for a vehicle according to my novel design.

# 1 Claim, 4 Drawing Sheets







FIG.1






FIG. 4

