

US00D498137S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,137 S**
Berman (45) **Date of Patent:** **** Nov. 9, 2004**

(54) **SIDE GUSSETED FLEXIBLE BEVERAGE CONTAINER WITH HIGH RISE FITMENT**

D452,819 S 1/2002 Berman
D453,001 S 1/2002 Berman
D489,603 S * 5/2004 Berman D9/305
D489,605 S * 5/2004 Berman D9/305

(75) Inventor: **Ron Berman**, Long Beach, CA (US)

(73) Assignee: **Saddlesprings Beverage Company, Inc.**, Torrance, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/204,918**

(22) Filed: **May 5, 2004**

FOREIGN PATENT DOCUMENTS

JP 6179454 A 6/1994

Primary Examiner—Paula A. Greene
(74) *Attorney, Agent, or Firm*—Fulwider Patton Lee & Utecht, LLP

(57) **CLAIM**

The ornamental design for a side gusseted flexible beverage container with high rise fitment, as shown and described.

Related U.S. Application Data

(62) Division of application No. 29/159,538, filed on Apr. 23, 2002, now Pat. No. Des. 489,603.

(51) **LOC (7) Cl.** **09-05**

(52) **U.S. Cl.** **D9/305**

(58) **Field of Search** D9/302, 305, 306, D9/442; 222/92, 105, 107, 206, 215, 541.7, 541.5; 383/36, 61, 96, 97, 104, 106, 120, 121, 122, 100; 229/123.1; 220/495.01, 495.03, 495.08

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of my new design illustrating a side gusseted flexible beverage pouch with high rise fitment illustrating the characteristic features of the design which resides in its shape together with having an opaque upper portion, transparent middle portion, and opaque lower portion on both the front, back and sides of the pouch, the rear elevational view being identical;

FIG. 2 is a left side elevational view thereof, the right side elevational view being identical;

FIG. 3 is a bottom view of thereof;

FIG. 4 is a top view of the embodiment illustrated in FIG. 1;

FIG. 5 is a front elevational view of an alternative embodiment of my new design illustrating the characteristic features of the design which resides in its shape together with having an transparent upper portion, opaque middle portion, and transparent lower portion on both the front, back, and sides of the pouch, the rear view being identical;

FIG. 6 is a left side elevational view of the embodiment illustrated in FIG. 5, the right side elevational view being identical;

FIG. 7 is a top view of the embodiment illustrated in FIG. 5; and,


FIG. 8 is a bottom view of the embodiment illustrated in FIG. 5.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,718,778 A	1/1988	Ichikawa
4,732,299 A	3/1988	Hoyt
4,818,544 A	4/1989	Seward
4,874,255 A	10/1989	Ball et al.
D410,838 S	6/1999	Berman
D420,900 S	2/2000	Berman
D425,410 S	5/2000	Berman
D429,459 S	8/2000	Berman
D433,625 S	11/2000	Berman
D434,976 S	12/2000	Berman
D436,847 S	1/2001	Berman
D436,848 S	1/2001	Berman
D437,549 S	2/2001	Berman
D440,868 S	4/2001	Berman
D451,793 S	12/2001	Berman
D452,816 S	1/2002	Berman
D452,817 S	1/2002	Berman
D452,818 S	1/2002	Berman

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8