



US00D498283S

(12) **United States Design Patent**  
**Dunn**

(10) **Patent No.:** **US D498,283 S**

(45) **Date of Patent:** **\*\* Nov. 9, 2004**

(54) **BOW VIBRATION DAMPER**

(76) **Inventor:** **Randel L. Dunn**, 1424 63<sup>rd</sup> Ave. NE.,  
Salem, OR (US) 97301

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/177,347**

(22) **Filed:** **Mar. 7, 2003**

(51) **LOC (7) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/107**

(58) **Field of Search** ..... **D22/100, 107,**  
**D22/115, 199; D21/571; 29/254; 124/20.3,**  
**24.1, 25, 44.5, 86, 88, 89, 90; 188/378;**  
**267/136; 473/300**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,670,712 A \* 6/1972 Izuta ..... 124/88  
5,362,046 A 11/1994 Sims ..... 473/300  
5,553,596 A \* 9/1996 Bednar ..... 124/25

D436,643 S \* 1/2001 Sims ..... D22/107  
6,675,793 B1 \* 1/2004 Saunders ..... 188/378  
6,758,205 B2 \* 7/2004 Kronfeld ..... 124/89  
2003/0121510 A1 \* 7/2003 Mizek et al. .... 124/89

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Monica A Weingart

(74) *Attorney, Agent, or Firm*—Carl D. Crowell

(57) **CLAIM**

The ornamental design for a bow vibration damper, as shown and described.

**DESCRIPTION**

FIG. 1 is a side elevation view of the invention showing the new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a back elevation view thereof;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

