

US00D498321S

(12) **United States Design Patent**
Terry

(10) **Patent No.:** **US D498,321 S**
(45) **Date of Patent:** **** Nov. 9, 2004**

(54) **COMBINED HEAD AND TAIL WORK LIGHTS**

(76) Inventor: **Don R. Terry**, 1764 Wells Landing Rd., Danville, KY (US) 40422

(**) Term: **14 Years**

(21) Appl. No.: **29/187,082**

(22) Filed: **Jul. 28, 2003**

(51) **LOC (7) Cl.** **26-05**

(52) **U.S. Cl.** **D26/60; D26/62**

(58) **Field of Search** D26/39, 43, 44, D26/61, 62, 63, 65, 103; D14/218; 362/98, 99, 191, 281-287, 269, 197-199, 109, 396, 418, 419, 427, 428, 430

(56) **References Cited**

U.S. PATENT DOCUMENTS

D178,416 S	*	7/1956	Mugual	D26/60
D196,262 S	*	9/1963	Sovatsky	D26/65
3,666,938 A	*	5/1972	Dolega	362/398
4,238,816 A	*	12/1980	Merlo	362/279
D282,011 S	*	12/1985	Fackert	D26/62
4,692,850 A	*	9/1987	LeDoux	362/432
5,101,333 A	*	3/1992	Glassford	362/413
D366,711 S	*	1/1996	Clasby	D26/60
D383,235 S	*	9/1997	Murch, Sr.	D26/60
5,664,875 A	*	9/1997	Hegedus	362/191

D385,052 S * 10/1997 Huang D26/60
2003/0128540 A1 * 7/2003 D'Andrea et al. 362/191

OTHER PUBLICATIONS

Lampsplus.com May 24, 2004; Line Voltage Clamp-On Light #45496.*

Restoration Hardware Catalog Item C-“Grill Light”.*

* cited by examiner

Primary Examiner—Clare E Heflin

(57) **CLAIM**

The ornamental design for a combined head and tail work lights, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of a combined head and tail work lights showing my new design.

FIG. 2 is a right side view of the combined head and tail work lights.



FIG. 3 is a back view of the combined head and tail work lights.


FIG. 4 is a front view of the combined head and tail work lights.

FIG. 5 is a top view of the combined head and tail work lights; and,

FIG. 6 is a bottom view of the combined head and tail work lights.

1 Claim, 5 Drawing Sheets








FIG. 2








FIG. 4

FIG. 3

FIG. 5






FIG. 6