

US00D498338S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,338 S**
Garrand (45) **Date of Patent:** **** Nov. 9, 2004**

(54) **PAINT CAN INLAY DEVICE**

FOREIGN PATENT DOCUMENTS

(76) **Inventor:** **Paul J. Garrand**, 30 Washington Ave.,
Rouses Point, NY (US) 12979

JP 05301500 A * 11/1993 B44D/3/12

(**) **Term:** **14 Years**

* cited by examiner

(21) **Appl. No.:** **29/178,418**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor

(22) **Filed:** **Mar. 27, 2003**

(57) **CLAIM**

(51) **LOC (7) Cl.** **07-07**

The ornamental design for a paint can inlay device, as shown and described.

(52) **U.S. Cl.** **D32/54**

(58) **Field of Search** D32/54; D9/435-436;
211/65; 220/695, 697, 698-702, 736; 248/110,
112, 213.2; D8/349, 354, 370; 222/570

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,547,541 A * 7/1925 Wansner 220/702
1,972,861 A * 9/1934 Baillie 220/701
2,094,179 A * 9/1937 Milarch 220/702
D255,066 S * 5/1980 Hadgis D8/349 X

FIG. 1 is a top plan view of a paint can inlay device showing my new design.


FIG. 2 is a front end view of the paint can inlay device.

FIG. 3 is a rear end view of the paint can inlay device.

FIG. 4 is a right side view of the paint can inlay device; and,

FIG. 5 is a left side view of the paint can inlay device.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2 FIG. 3



FIG. 4



FIG. 5