



US00D498357S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,357 S**
Smith (45) **Date of Patent:** **** Nov. 16, 2004**

(54) **BELT OR PANT RETENTIVE SHAPED BOTTLE HOLDER**

(75) Inventor: **Matthew S. Smith**, St. Charles, MO (US)

(73) Assignee: **Mary Elle Fashions, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/179,808**

(22) Filed: **Apr. 16, 2003**

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/215; D3/229**

(58) **Field of Search** D3/215, 221, 229; D7/620, 622; D9/455, 516, 519; D8/34, 33; 248/311.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,160,304 A	12/1964	Peacock	224/666
4,084,778 A	4/1978	Dominguez	248/314
4,278,225 A	7/1981	Phelps	248/311.3
D271,820 S	12/1983	Allen	D3/227
4,955,572 A	9/1990	Simmons	248/312
D324,990 S	3/1992	Gary	D8/354
5,249,108 A	9/1993	Gary	362/388
D395,384 S	* 6/1998	Farfalli	D8/38
D417,185 S	11/1999	Marks	D12/411
D423,774 S	5/2000	Peterson	D3/229
D444,706 S	* 7/2001	Giancaspro	D9/455
D456,603 S	* 5/2002	Phetthaweebancha	D3/229

* cited by examiner

Primary Examiner—Catherine R. Oliver
(74) *Attorney, Agent, or Firm*—Paul M Denk

(57) **CLAIM**


The ornamental design for the belt or pant retentive shaped bottle holder.

DESCRIPTION

FIG. 1 is a perspective view of the belt or pant retentive shaped bottle holder showing my new design, incorporating a bottle shaped base;

FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a side view, with the opposite side view being a mirror image thereof;
 FIG. 7 is a perspective view of a second embodiment, for a shorter bottle;
 FIG. 8 is a front view thereof;
 FIG. 9 is a rear view thereof;
 FIG. 10 is a top plan view thereof;
 FIG. 11 is a bottom plan view thereof;
 FIG. 12 is a side view, with the opposite side being a mirror image thereof;
 FIG. 13 is a perspective view of a third embodiment;
 FIG. 14 is a front view thereof;
 FIG. 15 is a rear view thereof
 FIG. 16 is a top plan view thereof;
 FIG. 17 is a bottom plan view thereof;
 FIG. 18 is a side view, with the opposite side view being a mirror image thereof;
 FIG. 19 is a perspective view of a fourth embodiment;
 FIG. 20 is a front view thereof;
 FIG. 21 is a rear view thereof;
 FIG. 22 is a top plan view thereof;
 FIG. 23 is a bottom plan view thereof;
 FIG. 24 is a side view, with the opposite side view being a mirror image thereof;
 FIG. 25 is a perspective view of a fifth embodiment;
 FIG. 26 is a front view thereof;
 FIG. 27 is a rear view thereof;
 FIG. 28 is a top plan view thereof;
 FIG. 29 is a bottom plan view thereof;
 FIG. 30 is a side view, with the opposite side view being a mirror image thereof;
 FIG. 31 is a perspective view of a sixth embodiment;
 FIG. 32 is a rear view thereof;
 FIG. 33 is a right side view, the left side view being a mirror image thereof;
 FIG. 34 is a top plan view thereof; and,
 FIG. 35 is a bottom plan view.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35