

US00D498407S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,407 S**
Layton (45) **Date of Patent:** **** Nov. 16, 2004**

(54) **DOOR LATCH**

DESCRIPTION

(76) Inventor: **Peter Layton**, 20 Molong Road,
Orange, New South Wales (AU), 2800

(**) Term: **14 Years**

(21) Appl. No.: **29/193,980**

(22) Filed: **Nov. 17, 2003**

(30) **Foreign Application Priority Data**

May 20, 2003 (AU) 1661/2003

(51) **LOC (7) Cl.** **08-07**

(52) **U.S. Cl.** **D8/331**

(58) **Field of Search** D8/330, 331, 339,
D8/340, 341, 343, 302; 70/141, 107, 156,
51, 110, 111

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,331,105 A * 10/1943 Byrne 70/156
2,580,830 A * 1/1952 Pelle 70/156
3,353,383 A * 11/1967 Fish 70/151 R
3,881,331 A * 5/1975 Tranberg et al. 70/107
D354,428 S * 1/1995 Magnusson D8/331
6,058,746 A * 5/2000 Mirshafiee et al. 70/107
D432,897 S * 10/2000 Spangler D8/331
D433,920 S * 11/2000 Chang D8/331
D485,154 S * 1/2004 Chen D8/331

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Michael J. Striker

(57) **CLAIM**

The ornamental design for door latch, as shown and described.

FIG. 1 is an isometric view of a door latch in accordance with the invention showing the door latch in an “open” position;

FIG. 2 is a plan view of a door latch in accordance with the invention showing the door latch in an “open” position;

FIG. 3 is a right side view of a door latch in accordance with the invention showing the door latch in an “open” position;

FIG. 4 is a left side view of a door latch in accordance with the invention showing the door latch in an “open” position

FIG. 5 is underside view of a door latch in accordance with the invention showing the door latch in an “open” position

FIG. 6 is a front side view of a door latch in accordance with the invention showing the door latch in an “open” position

FIG. 7 is a rear side view of a door latch in accordance with the invention showing the door latch in an “open” position

FIG. 8 is an isometric view of a door latch in accordance with the invention showing the door latch in a “closed” position.

FIG. 9 is a plan view of a door latch in accordance with the invention showing the door latch in a “closed” position.

FIG. 10 is a right side view of a door latch in accordance with the invention showing the door latch in a “closed” position.


FIG. 11 is a left side view of a door latch in accordance with the invention showing the door latch in a “closed” position.

FIG. 12 is an underside view of a door latch in accordance with the invention showing the door latch in a “closed” position.

FIG. 13 is a front side view of a door latch in accordance with the invention showing the door latch in a “closed” position; and,

FIG. 14 is a rear side view of a door latch in accordance with the invention showing the door latch in a “closed” position.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14