

US00D498535S

(12) **United States Design Patent**
Genau et al.

(10) **Patent No.:** **US D498,535 S**

(45) **Date of Patent:** **** Nov. 16, 2004**

(54) **MEDICAL IMPLANT COMMUNICATION
DEVICE**

(75) Inventors: **Christopher C. Genau**, Seattle, WA
(US); **Brady A. Olason**, Edmonds, WA
(US)

(73) Assignee: **Northstar Neuroscience, Inc.**, Seattle,
WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/195,059**

(22) Filed: **Dec. 5, 2003**

(51) **LOC (7) Cl.** **24-02**

(52) **U.S. Cl.** **D24/186**

(58) **Field of Search** D24/186, 107,
D24/232; 607/60; 600/306, 301, 483, 508;
128/903, 904

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,263,245 B1 * 7/2001 Snell 607/60
D484,246 S * 12/2003 Lee et al. D24/186

2002/0013613 A1 * 1/2002 Haller et al. 607/60
2003/0088295 A1 * 5/2003 Cox 607/60

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Sally Shih

(74) *Attorney, Agent, or Firm*—Sonya C. Harris; Leif R. Sloan

(57) **CLAIM**

The ornamental design for a medical implant communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing the front, top and right side of a medical implant communication device according to our new design;

FIG. 2 is a rear perspective view;

FIG. 3 is a left side elevational view;


FIG. 4 is a right side elevational view;

FIG. 5 is an enlarged top plan view; and,

FIG. 6 is an enlarged bottom plan view thereof.

The cord is shown broken away in the middle in FIGS. 1–4 to indicate indeterminate length.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6