



US00D498541S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,541 S**
Pettesch (45) **Date of Patent:** **** Nov. 16, 2004**

- (54) **FUEL DISPENSER GUARD ASSEMBLY**
 (75) Inventor: **Martin Pettesch**, Cranford, NJ (US)
 (73) Assignee: **Universal Valve Co. Inc.**, Elizabeth, NJ (US)
 (**) Term: **14 Years**
 (21) Appl. No.: **29/192,745**
 (22) Filed: **Oct. 29, 2003**

- 4,183,695 A 1/1980 Wilcox
 4,253,777 A 3/1981 Pillifant, Jr.
 4,280,294 A 7/1981 Eckberg, II
 4,309,836 A 1/1982 Knapp
 D271,218 S 11/1983 Farmer
 D275,579 S 9/1984 Brown et al.
 D281,324 S 11/1985 Badgley
 4,792,258 A 12/1988 Goff
 D327,096 S 6/1992 Hobbs
 5,442,871 A 8/1995 Sarkisian et al.
 5,487,619 A 1/1996 Winebrenner
 5,860,237 A 1/1999 Johnson
 5,911,523 A 6/1999 Burchart

Related U.S. Application Data

- (62) Division of application No. 09/902,532, filed on Jul. 10, 2001, now abandoned.
 (51) **LOC (7) Cl.** **25-02**
 (52) **U.S. Cl.** **D25/38; D25/39**
 (58) **Field of Search** D25/38, 39, 58;
 256/1; 404/6, 7; 40/606.01, 606.03; D20/41,
 42, 10

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

FR 2676762 A1 11/1992

Primary Examiner—Doris Clark
(74) *Attorney, Agent, or Firm*—Edward Dreyfus

(57) **CLAIM**

The ornamental design for a fuel dispenser guard assembly, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- 614,432 A 11/1898 Austin
 1,412,769 A 4/1922 Barnes
 1,635,394 A 7/1927 Anderson
 1,656,150 A 1/1928 Little
 1,756,389 A 4/1930 Schneider
 1,828,239 A 10/1931 Bennett et al.
 2,070,652 A 2/1937 Elmer
 2,236,888 A 4/1941 Bishop
 2,388,180 A 10/1945 Pulver, Jr.
 2,392,011 A 1/1946 Stringer
 2,515,818 A 7/1950 Bennett
 2,533,778 A 12/1950 Eckhardt
 2,625,130 A 1/1953 Morser
 3,685,184 A 8/1972 Snyder, Jr.
 D234,231 S 1/1975 Alfonso
 3,877,681 A 4/1975 Humphrey
 3,883,974 A 5/1975 Ashton
 4,019,271 A 4/1977 Latimer
 4,050,401 A 9/1977 Kelly
 4,145,828 A 3/1979 Hillstrom

DESCRIPTION

FIG. 1 is a frontal-side perspective view of a fuel dispenser guard assembly showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a top view thereof.
 FIG. 4 is a rear view perspective thereof.
 FIG. 5 is a second embodiment of the fuel dispenser guard assembly.
 FIG. 6 is a front view of the fuel dispenser guard assembly of FIG. 5.
 FIG. 7 is a top view of the fuel dispenser guard assembly of FIG. 5; and,
 FIG. 8 is a rear view of the assembly of FIG. 5.
 The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.
 The guard assembly is intended to rest on an automobile driving surface.

1 Claim, 8 Drawing Sheets



US D498,541 S

Page 2

U.S. PATENT DOCUMENTS

5,993,105 A 11/1999 Chan
6,116,811 A 9/2000 Goff
6,150,958 A 11/2000 Worsham

D435,301 S * 12/2000 Shows D25/38
6,378,232 B1 4/2002 Creech
6,604,888 B2 * 8/2003 Dolan 404/6

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8