



US00D498563S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,563 S**
Fournier et al. (45) **Date of Patent:** **** Nov. 16, 2004**

(54) **COMBINED HELMET EYE SHIELD AND VISOR**

DESCRIPTION

(75) Inventors: **Eric Fournier**, Orford (CA); **Luc Bourgeois**, St-Hubert (CA)

(73) Assignee: **Bombardier Recreational Products Inc.**, Valcourt (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/186,147**

(22) Filed: **Jul. 11, 2003**

(51) **LOC (7) Cl.** **29-02**

(52) **U.S. Cl.** **D29/122**

(58) **Field of Search** 2/5, 6.1–6.7, 421,
2/422, 423–425, 427, 171.3, 431, 412–414;
D29/102–110, 112, 122; 128/201.23, 201.24;
D24/110.3

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,242,757	A	*	1/1981	Nava		2/10
D312,513	S	*	11/1990	Morin		D29/107
D376,674	S	*	12/1996	Kamata		D29/107
D392,073	S	*	3/1998	Lashley		D29/122
D406,402	S	*	3/1999	Simpson		D29/107
D406,404	S	*	3/1999	Simpson		D29/107
6,006,366	A	*	12/1999	Vondrak		2/424
D439,021	S	*	3/2001	Galet		D29/107
D447,605	S		9/2001	Kalhok		
D450,160	S		11/2001	Kalhok		
D451,643	S		12/2001	Kalhok		
D452,592	S		12/2001	Kalhok		
D475,815	S		6/2003	Kalhok		
2002/0138897	A1	*	10/2002	Arai		2/424
2003/0213051	A1	*	11/2003	Fournier et al.		2/424
2003/0217408	A1	*	11/2003	Fournier		2/424

* cited by examiner

Primary Examiner—Ruth McInroy

(74) *Attorney, Agent, or Firm*—BRP Legal Services

(57) **CLAIM**

The ornamental design for a combined helmet eye shield and visor, as shown and described.

FIG. 1 is a perspective illustration, from the front and left side, of a first embodiment of the combined helmet eye shield and visor according to our design, the visor being shown in the lowered position;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective illustration, from the front and left side, of the first embodiment of the combined helmet eye shield and visor according to our design, the visor being shown in the raised position;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a left side elevational view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a perspective illustration, from the front and left side, of a second embodiment of the combined helmet eye shield and visor according to our design, the visor being shown in the lowered position;

FIG. 14 is a front elevational view thereof;

FIG. 15 is a right side elevational view thereof;

FIG. 16 is a left side elevational view thereof;

FIG. 17 is a top plan view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a perspective illustration, from the front and left side, of the second embodiment of the combined helmet eye shield and visor according to our design, the visor being shown in the raised position;

FIG. 20 is a front elevational view thereof;

FIG. 21 is a right side elevational view thereof;


FIG. 22 is a left side elevational view thereof;

FIG. 23 is a top plan view thereof; and,

FIG. 24 is a bottom plan view thereof.

In each of FIGS. 1–24, the broken lines showing structure are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24