

US00D498818S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,818 S**
Ide et al. (45) **Date of Patent:** **** Nov. 23, 2004**

(54) **BULB COVER**

5,893,418 A 4/1999 Ponte 169/37
6,131,822 A 10/2000 Farmer, Jr. 239/288

(75) Inventors: **Stephen R. Ide**, Easton, PA (US);
Richard D. Schilling, Breinigsville, PA
(US)

(73) Assignee: **Victaulic Company of America**,
Easton, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/188,857**

(22) Filed: **Aug. 25, 2003**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/227**

(58) **Field of Search** D23/213, 214,
D23/227; 169/19, 37, 39; 239/288, 288.3,
288.5

OTHER PUBLICATIONS

U.S. Patent Appln., filed Mar. 14, 2002, entitled Protector for Thermally Responsive Member of Sprinkler Head (Vinson et al).

U.S. Patent Appln., filed Aug. 15, 2003, entitled Protective Cover for Frangible Bulb (Ide et al).

* cited by examiner

Primary Examiner—Robin V. Taylor

(74) *Attorney, Agent, or Firm*—Synnestvedt & Lechner LLP

(57) CLAIM

The ornamental design for a bulb cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of our design for a bulb cover;

FIG. 2 is a left side view of the bulb cover shown in FIG. 1; FIG. 3 is a right side view of the bulb cover shown in FIG. 1;

FIG. 4 is a top view of the bulb cover shown in FIG. 1; FIG. 5 is a bottom view of the bulb cover shown in FIG. 1; FIG. 6 is a front end view of the bulb cover shown in FIG. 1; and,

FIG. 7 is a rear view of the bulb cover shown in FIG. 1.

The broken lines in FIGS. 1–5 are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets

(56) References Cited

U.S. PATENT DOCUMENTS

432,403 A	*	7/1890	Grinnel		169/39
D26,255 S	*	11/1896	Esty		D23/214
D184,373 S	*	2/1959	Rider		D23/214
D210,457 S	*	3/1968	Mease		D23/214
3,388,747 A		6/1968	Hodnett		169/39
3,801,014 A	*	4/1974	Cantales		239/104
3,971,443 A	*	7/1976	Zenker		169/39
5,097,906 A	*	3/1992	Polan		169/37
5,234,059 A		8/1993	Eynon		169/39
5,447,338 A	*	9/1995	Kikuchi		285/46
5,570,745 A		11/1996	MacDonald, III		169/16
5,632,339 A	*	5/1997	Fenske et al.		169/37
5,743,337 A		4/1998	MacDonald, III		169/16




FIG.1




FIG.2




FIG.3




FIG. 4





FIG. 5




FIG. 6




FIG. 7