

US00D498857S

(12) **United States Design Patent** (10) **Patent No.:** **US D498,857 S**
Smith et al. (45) **Date of Patent:** **** Nov. 23, 2004**

(54) **RECHARGEABLE LAMP SYSTEM**

(75) Inventors: **Duane B. Smith**, Roxbury, MA (US);
Stéfane E. Barbeau, Roxbury, MA
(US)

(73) Assignee: **Vessel Inc.**, Boston, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/196,949**

(22) Filed: **Jan. 7, 2004**

(51) **LOC (7) Cl.** **26-05**

(52) **U.S. Cl.** **D26/26**

(58) **Field of Search** D26/26, 51, 24;
D23/366, 367; 362/147, 432, 226, 404,
95, 276, 84, 85; D8/350, 352; D13/137.1,
139.1, 177; 174/66

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,735,118 A * 5/1973 Martin et al. 362/226
3,780,260 A * 12/1973 Eisner 392/392

(List continued on next page.)

OTHER PUBLICATIONS

www.lampsplus.com Jun. 24, 2004; "neon Night Lights" in
center row of page.*

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Albert Peter Durigon

(57) **CLAIM**

The ornamental design for a rechargeable lamp system, as
shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the luminary of the
rechargeable lamp system of the present invention, the back
being identical;




FIG. 2 is a side elevational view of the luminary of the
rechargeable lamp system of the present invention, the other
side being identical;

FIG. 3 is a plan view of the top of the luminary of the
rechargeable lamp system of the present invention;

FIG. 4 is a plan view of the bottom of the luminary of the
rechargeable lamp system of the present invention;

FIG. 5 is a front elevational view of the recharging wall
mount of the rechargeable lamp system of the present
invention with the luminary removed;

FIG. 6 is a side elevational view of the recharging wall
mount of the rechargeable lamp system of the present
invention with the luminary removed, the other side being
identical;

FIG. 7 is a bottom plan view of the recharging wall mount
of the rechargeable lamp system of the present invention
with the luminary removed;

FIG. 8 is a top plan view of the recharging wall mount of the
rechargeable lamp system of the present invention with the
luminary removed;

FIG. 9 is a back elevational view of the recharging wall
mount of the rechargeable lamp system of the present
invention with the luminary removed;

FIG. 10 is a front elevational view of the rechargeable lamp
system of the present invention showing the luminary
mounted to the recharging wall mount;

FIG. 11 is a side elevational view of the rechargeable lamp
system of the present invention showing the luminary
mounted to the recharging wall mount, the other side being
identical;


FIG. 12 is a top plan view of the rechargeable lamp system
of the present invention showing the luminary mounted to
the recharging wall mount;

FIG. 13 is a bottom plan view of the rechargeable lamp
system of the present invention showing the luminary
mounted to the recharging wall mount; and,

FIG. 14 is a back elevational view of the rechargeable lamp
system of the present invention showing the luminary
mounted to the wall mount.

The portions of the claimed lamp are shown separately in
FIGS. 1–9 for illustrative purposes only.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS			
3,818,212 A	*	6/1974 Rochford et al.	362/226
D401,367 S	*	11/1998 DeLay	D26/26
D403,786 S	*	1/1999 Lai	D26/24
5,964,516 A	*	10/1999 Lai	362/95
6,190,017 B1	*	2/2001 Lai	362/95
6,302,559 B1	*	10/2001 Warren	362/84
6,478,440 B1	*	11/2002 Jaworski et al.	362/96
6,677,525 B1	*	1/2004 Walker	174/66
2002/0163796 A1	*	11/2002 Dickie et al.	362/84
* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14