

US00D498885S

(12) **United States Design Patent**
Robson

(10) **Patent No.:** **US D498,885 S**

(45) **Date of Patent:** **** Nov. 23, 2004**

(54) **BLOWER VACUUM DEVICE**

(75) Inventor: **Nigel Robson**, Gatehead (GB)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/190,470**

(22) Filed: **Sep. 22, 2003**

(51) **LOC (7) Cl.** **15-05**

(52) **U.S. Cl.** **D32/15**

(58) **Field of Search** D32/1, 15, 17,
D32/25, 31; 15/344-346, 300.1, 405; 417/236,
423.1, 423.3

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,644,606	A	*	2/1987	Luerken et al.	D32/15
RE33,050	E	*	9/1989	Tuggle et al.	15/405
D307,956	S	*	5/1990	Everts	D32/15
D352,579	S	*	11/1994	Baker et al.	D32/15
D416,360	S	*	11/1999	Enkyo et al.	D32/15
5,991,973	A	*	11/1999	Simpson	15/405
D426,354	S	*	6/2000	Ohi et al.	D32/15
D461,604	S	*	8/2002	Martin et al.	D32/15
D469,931	S	*	2/2003	Nawrozki et al.	D32/15

* cited by examiner

Primary Examiner—Robert A. Delehanty

(74) *Attorney, Agent, or Firm*—Paul L. Ratcliffe


(57) **CLAIM**

The ornamental design for a blower vacuum device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of motor unit;
 FIG. 2 is a top plan view of motor unit;
 FIG. 3 is a rear view of motor unit;
 FIG. 4 is a view of underneath of motor unit;
 FIG. 5 is a side view of motor unit attached to blower unit;
 FIG. 6 is a view from above and one side of motor unit attached to blower unit;
 FIG. 7 is a view from underneath and one side of motor unit attached to blower unit;
 FIG. 8 is a view from above and in front of motor unit attached to blower unit;
 FIG. 9 is a rear view of motor unit attached to blower unit;
 FIG. 10 is a side view of motor unit attached to vacuum unit;
 FIG. 11 view from above, in front and one side of motor unit attached to vacuum unit; and,
 FIG. 12 is rear view of motor unit attached to vacuum unit.
 The blower-vacuum devise comprises a motor unit, a blower unit and a vacuum unit. The blower unit and the vacuum unite are interchangeably attachable to the motor unit. A bag portion of the vacuum unit is flexible.

1 Claim, 12 Drawing Sheets



SIDE VIEW OF MOTOR UNIT ATTACHED TO BLOWER UNIT
(other side corresponds)




FIG. 1

SIDE VIEW OF MOTOR UNIT
(other side corresponds)




FIG. 2

TOP PLAN VIEW OF MOTOR UNIT




FIG. 3

REAR VIEW OF MOTOR UNIT




FIG. 4

VIEW OF UNDERNEATH OF MOTOR UNIT




FIG. 5

SIDE VIEW OF MOTOR UNIT ATTACHED TO BLOWER UNIT
(other side corresponds)




FIG. 6

VIEW FROM ABOVE AND ONE SIDE OF MOTOR
UNIT ATTACHED TO BLOWER UNIT




FIG. 7

VIEW FROM UNDERNEATH AND ONE SIDE OF MOTOR
UNIT ATTACHED TO BLOWER UNIT




FIG. 8

VIEW FROM ABOVE AND IN FRONT OF MOTOR UNIT ATTACHED TO BLOWER UNIT




FIG. 9

REAR VIEW OF MOTOR UNIT ATTACHED TO BLOWER UNIT




FIG. 10

SIDE VIEW OF MOTOR UNIT ATTACHED TO VACUUM UNIT
(other side corresponds)




FIG. 11

VIEW FROM ABOVE, IN FRONT AND ONE SIDE
OF MOTOR UNIT ATTACHED TO VACUUM UNIT




FIG. 12

REAR VIEW OF MOTOR UNIT ATTACHED
TO VACUUM UNIT