



US00D499224S

(12) **United States Design Patent**
Heikaus et al.

(10) **Patent No.: US D499,224 S**

(45) **Date of Patent: ** Nov. 30, 2004**

(54) **PACKING MACHINE**

(75) Inventors: **Gerd Heikaus,**
Nuembrecht-Marienberghausen (DE);
Lothar Heikaus,
Nuembrecht-Marienberghausen (DE)

(73) Assignee: **Heikaus Vertriebs-GmbH (DE)**

(**) Term: **14 Years**

(21) Appl. No.: **29/172,460**

(22) Filed: **Dec. 12, 2002**

(30) **Foreign Application Priority Data**

Jun. 12, 2002 (DE) 402 04 916

(51) **LOC (7) Cl. 12-05**

(52) **U.S. Cl. D34/34**

(58) **Field of Search** 187/231, 222,
187/414; D34/34, 33, 35; 180/19.1, 214

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,187,829 A * 6/1965 Ulinski 180/19.1
- D222,670 S * 11/1971 Goodacre et al. D34/34
- D222,694 S * 12/1971 Goodacre D34/34
- 4,669,561 A * 6/1987 Sheen 180/19.1
- D348,759 S * 7/1994 Bhambra D34/34
- D370,761 S * 6/1996 Stark D34/34
- D373,887 S * 9/1996 Soederberg D34/34
- D386,876 S * 11/1997 Niebuhr D34/34

- D408,958 S * 4/1999 Schneider D34/28
- D416,369 S * 11/1999 Johansson D34/28
- D419,741 S * 1/2000 Johansson D34/28
- 6,125,971 A * 10/2000 Niebuhr et al. 187/231
- D447,612 S * 9/2001 Niebuhr D34/34
- D464,785 S * 10/2002 Gallagher D34/35

* cited by examiner

Primary Examiner—Cynthia E. Ramirez

(74) *Attorney, Agent, or Firm*—Diller, Ramik & Wight

(57) **CLAIM**

The ornamental design for a packing machine, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the packing machine showing my new design,
 FIG. 2 is a side perspective view of the opposite side of the packing machine of FIG. 1,
 FIG. 3 is a side elevational view similar to FIG. 1,
 FIG. 4 is a rear elevational view,
 FIG. 5 is a front elevational view,
 FIG. 6 is a side perspective view similar to FIG. 1, and shows a pivotally connected and cantilevered arm in a position removed from that shown in FIG. 1,
 FIG. 7 is a top perspective view of the packing machine of FIG. 6; and,
 FIG. 8 is a side elevational view similar to FIG. 3, and shows the arm pivoted 180 degrees (180°) from the position thereof in FIG. 3.

1 Claim, 8 Drawing Sheets




FIGURE 1




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8