

US00D499341S

(12) **United States Design Patent**  
**Lovison**

(10) **Patent No.: US D499,341 S**  
(45) **Date of Patent: \*\* Dec. 7, 2004**

(54) **CONTAINER**

(75) **Inventor: Douglas I. Lovison, Cardiff, CA (US)**

(73) **Assignee: Trago Limited Partnership, Tortola (VG)**

(\*\*) **Term: 14 Years**

(21) **Appl. No.: 29/180,795**

(22) **Filed: Apr. 29, 2003**

(51) **LOC (7) Cl. .... 09-01**

(52) **U.S. Cl. .... D9/529; D9/560**

(58) **Field of Search .... D7/605, 612, 629; D9/516, 529, 544, 560, 565, 573-575, 431, 432, 338; D28/4, 7, 76, 85, 86, 88; 215/282-384, 396, 398, 400; 220/212-215, 666, 667, 669, 675, 771, 608**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D20,581 S	3/1891	Rheinstrom	
D20,792 S	6/1891	Rodiger	
D56,110 S	8/1920	Weller	
D74,244 S	1/1928	Swindell	
D92,640 S	6/1934	Ennever	
D99,819 S	3/1936	McLaughlin	
D102,636 S	1/1937	McLaughlin	
D103,987 S	4/1937	Ennever	
3,244,272 A	* 4/1966	Beaman et al. ....	200/788 X
D242,022 S	* 10/1976	Bish .....	D9/432
D260,367 S	8/1981	Grip	
D262,152 S	* 12/1981	Holloway .....	D28/85
D277,362 S	1/1985	Epperson	
D280,451 S	* 9/1985	Bakic .....	D28/88
D282,015 S	* 12/1985	Bakic .....	D28/86
D287,340 S	* 12/1986	Dinand .....	D9/560
D306,933 S	* 4/1990	Holewinski .....	D9/529
D309,416 S	* 7/1990	Britz .....	D9/432 X

D309,713 S	8/1990	Suetta	
D311,604 S	* 10/1990	Bakic .....	D28/85
D320,310 S	* 10/1991	Kuhn .....	D9/338 X
D321,829 S	11/1991	Iazzetta	
D323,111 S	* 1/1992	Restrepo .....	D9/529
D324,332 S	* 3/1992	Seifert et al. ....	D9/529 X
D343,580 S	1/1994	Reynaud	
D356,953 S	4/1995	Nakamura	
D361,938 S	9/1995	Sawa et al.	
D426,161 S	6/2000	Hestehave et al.	
D466,412 S	* 12/2002	Baskinger et al. ....	D9/529
D480,561 S	* 10/2003	Simon et al. ....	D7/629 X

\* cited by examiner

*Primary Examiner*—Carol Rademaker

(74) *Attorney, Agent, or Firm*—David E. Heisey, Esq.; Luce, Forward, Hamilton & Scripps LLP

(57) **CLAIM**

The ornamental design for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left side perspective view of a container embodying my new design;

FIG. 2 is a left side elevation view of the embodiment of FIG. 1, with the right side elevation view being a mirror image thereof;


FIG. 3 is a front elevation view of the embodiment of FIG. 1;

FIG. 4 is a rear elevation view of the embodiment of FIG. 1;


FIG. 5 is a top plan view of the embodiment of FIG. 1; and,


FIG. 6 is a top, front, and left side perspective view of FIG. 1 without the cap so as to show the unclaimed pour spout. The broken line showing of a pour spout in FIG. 6 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




**Fig. 1**






**Fig. 2**




**Fig. 3**






**Fig. 4**



**Fig. 5**



**Fig. 6**