

US00D499357S

(12) **United States Design Patent** (10) **Patent No.:** **US D499,357 S**  
**Velazco** (45) **Date of Patent:** **\*\* Dec. 7, 2004**

(54) **SURFACE CONFIGURATION OF A  
VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventor: **Geoffrey Antenor Velazco**, Venice, CA  
(US)

(73) Assignee: **Bayerische Motoren Werke  
Aktiengesellschaft**, Munich (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/180,269**

(22) Filed: **Apr. 22, 2003**

(30) **Foreign Application Priority Data**

Oct. 23, 2002 (DE) ..... 4 02 08 872

(51) **LOC (7) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/91**

(58) **Field of Search** ..... D12/90-92, 86;  
D21/424, 433; 296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D392,220 S \* 3/1998 Haussmann ..... D12/91  
D419,109 S 1/2000 Gabath ..... D12/91  
D436,059 S \* 1/2001 Goplen ..... D12/91  
D464,914 S \* 10/2002 Warkuss et al. .... D12/91  
D489,648 S \* 5/2004 Gale et al. .... D12/92

**FOREIGN PATENT DOCUMENTS**

JP 1061836 2/2000

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

**DESCRIPTION**

The application is related to the following co-pending applications, of the inventors:

Application Ser. No. 29/180,270, entitled “Surface Configuration of a Hood for a Vehicle”; and

Application Ser. No. 29/180,243, entitled “Surface Configuration of a Rear Door for a Vehicle”;

Application Ser. No. 29/180,242, entitled “Surface Configuration of a Rear Bumper for a Vehicle”;

Application Ser. No. 29/180,244, entitled “Surface Configuration of a Front Bumper for a Vehicle”;

Application Ser. No. 29/180,245, entitled “Surface Configuration of a Front Fender for a Vehicle”;

Application Ser. No. 29/180,246, entitled “Surface Configuration of a Rear Fender for a Vehicle”;

Application Ser. No. 29/180,247, entitled “Surface Configuration of a Trim for a Wheel Well for a Vehicle”;

Application Ser. No. 29/180,248, entitled “Surface Configuration of a Door for a Vehicle”;

Application Ser. No. 29/180,267, entitled “Surface Configuration of a Door for a Vehicle”;

Application Ser. No. 29/180,268, entitled “Surface Configuration of Pieces or Members of a Radiator Grill”.

FIG. 1 is a front, left perspective view of a surface configuration of a vehicle, toy and/or other replicas according to my novel design, the front, right perspective view being mirror symmetrical;

FIG. 2 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 3 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a rear, left perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;


FIG. 5 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 6 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design.

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7