

US00D499358S

(12) **United States Design Patent** (10) **Patent No.:** **US D499,358 S**  
**Pfeiffer et al.** (45) **Date of Patent:** **\*\* Dec. 7, 2004**

(54) **SURFACE CONFIGURATION OF A  
VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventors: **Peter Pfeiffer**, Boeblingen (DE); **Murat  
Guenak**, Ehningen (DE); **Hans-Dieter  
Futschik**, Gechingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/177,658**

(22) Filed: **Mar. 14, 2003**

(51) **LOC (7) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/92**

(58) **Field of Search** ..... D12/90-92, 86;  
D21/424, 433; 296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D433,653 S	*	11/2000	Sacco et al.	.....	D12/92
D439,550 S	*	3/2001	Sacco et al.	.....	D12/91
D462,926 S	*	9/2002	Pfeiffer et al.	.....	D12/92
D471,844 S	*	3/2003	Pfeiffer et al.	.....	D12/92
D483,298 S	*	12/2003	van Hooydonk	.....	D12/92

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

**DESCRIPTION**

This application is related to the following co-pending applications, of the inventors: Application Ser. No. 29/177,

652, entitled “Surface Configuration of a Hood for a Vehicle”; and Application Ser. No. 29/177,653, entitled “Surface Configuration of a Trunk Lid for a Vehicle”; Application Ser. No. 29/177,654, entitled “Surface Configuration of a Headlight For A Vehicle”; Application Ser. No. 29/177,655, entitled “Surface Configuration of a Taillight for a Vehicle”; Application Ser. No. 29/177,659, entitled “Surface Configuration of a Front Bumper for a Vehicle”; Application Ser. No. 29/177,656, entitled “Surface Configuration of a Rear Bumper for a Vehicle”; Application Ser. No. 29/177,657, entitled “Surface Configuration of a Radiator Grill for a Vehicle”.

FIG. 1 is a front, left perspective view of a surface configuration of a vehicle, toy and/or other replicas according to our novel design, the front, right perspective view being mirror symmetrical;

FIG. 2 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 3 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;


FIG. 5 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 6 is a rear, left perspective view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design, the rear, right perspective view being mirror symmetrical; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design.

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7