

US00D499511S

(12) **United States Design Patent**
Wakayama

(10) **Patent No.:** **US D499,511 S**
(45) **Date of Patent:** **** Dec. 7, 2004**

(54) **SAFETY RAZOR**
(75) **Inventor:** **Yoshihiro Wakayama, Seki (JP)**
(73) **Assignee:** **Kai R & D Center Co., Ltd., Gifu-ken (JP)**

JP S-570222 2/1982
JP S-570224 2/1982
JP S-611983 11/1983
JP S-894415 3/1994
JP S-978746 4/1997

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Jennifer Rivard
(74) *Attorney, Agent, or Firm*—Posz & Bethards, PLC

(21) **Appl. No.:** **29/200,088**

(22) **Filed:** **Feb. 24, 2004**

(57) **CLAIM**

The ornamental design for safety razor, as shown and described.

(30) **Foreign Application Priority Data**

Sep. 26, 2003 (JP) 2003-028211

DESCRIPTION

(51) **LOC (7) Cl.** **28-03**

FIG. 1 is a perspective view of a safety razor of the present invention;

(52) **U.S. Cl.** **D28/46**

FIG. 2 is a front view thereof, the rear view being a mirror image of FIG. 2;

(58) **Field of Search** D28/44, 44.1,

FIG. 3 is a top plan view thereof;

D28/45–48, 32, 34.05, 34.1, 34.2, 41, 50,

FIG. 4 is a bottom plan view thereof;

51, 57, 526–528

FIG. 5 is a right side view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 6 is a left side view thereof;

FIG. 7 is an enlarged cross-sectional view taken along line 7–7 of FIG. 3;

D208,619 S * 9/1967 Baker et al. D28/46

D415,317 S * 10/1999 Aiston D28/48

D427,376 S * 6/2000 Scott D28/44.1

FIG. 8 is a front view of the safety razor with a cap; and,

FIG. 9 is a left side view of the safety razor with a cap.

The broken lines in FIGS. 8 and 9 are shown for illustrative purposes only and form no part of the claimed design.

FOREIGN PATENT DOCUMENTS

JP S-444361 3/1977

JP S-501516 5/1977

1 Claim, 3 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9

