

US00D499794S

(12) United States Design Patent (10) Patent No.:

Comer

(45) Date of Patent:

US D499,794 S ** Dec. 14, 2004

(54) WASHING MACHINE ELECTRIC VALVE HOOKUP DESIGN

(76) Inventor: William T. Comer, 5508 Gipsy Ave.,

Las Vegas, NV (US) 89107

(**) Term: 14 Years

(21) Appl. No.: 29/197,017

(22) Filed: Jan. 9, 2004

D23/244–249; 251/61.1, 331, 6

(56) References Cited

U.S. PATENT DOCUMENTS

(List continued on next page.)

Primary Examiner—Nelson C. Holtje

(74) Attorney, Agent, or Firm—Harry M. Weiss; Weiss, Moy & Harris, P.C.

(57) CLAIM

The ornamental design for a washing machine electric valve hookup design, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing an intake portion and one side of one embodiment of a washing machine electric valve hookup design of my invention showing a male intake at an end portion of the washing machine electric valve hookup design, a male hose discharge at an opposite end portion of the washing machine electric valve hookup design and a solenoid shown in dashed lines coupled to a top portion of the washing machine electric valve hookup design.

FIG. 2 is a top plan view of the washing machine electric valve hookup design of FIG. 1 showing the male intake at one end of the washing machine electric valve hookup design and the male hose discharge at the opposite end of the washing machine electric valve hookup design without showing the solenoid coupled to a top portion of the washing machine electric valve hookup design.

FIG. 3 is a side elevational view of one side of the washing machine electric valve hookup design of FIG. 2 showing the male intake at one end of the washing machine electric valve hookup design and the male hose discharge at the opposite end of the washing machine electric valve hookup design with the other side being the same view.

FIG. 4 is a bottom plan view of the washing machine electric valve hookup design of FIG. 2 showing the male intake at one end of the washing machine electric valve hookup design and the male hose discharge at the opposite end of the washing machine electric valve hookup design.

FIG. 5 is an end elevational view of the washing machine electric valve hookup design of FIG. 2 showing the male hose discharge at the opposite end of the washing machine electric valve hookup design.

FIG. 6 is an end elevational view of the washing machine electric valve hookup design of FIG. 2 showing the male intake at one end of the washing machine electric valve hookup design.

FIG. 7 is a top plan view of another embodiment of a washing machine electric valve hookup design showing a female intake at an end of the washing machine electric valve hookup design and a male hose discharge at the opposite end of the washing machine electric valve hookup design without showing a solenoid coupled to a top portion of the washing machine electric valve hookup design.

FIG. 8 is a side elevational view of one side of the washing machine electric valve hookup design of FIG. 7 showing the female intake at one end of the washing machine electric valve hookup design and the male hose discharge at the opposite end of the washing machine electric valve hookup design with the other side being the same view.


FIG. 9 is a bottom plan view of the washing machine electric valve hookup design of FIG. 7 showing the female intake at one end of the washing machine electric valve hookup design and the male hose discharge at the opposite end of the washing machine electric valve hookup design.

FIG. 10 is an end elevational view of the washing machine electric valve hookup design of FIG. 7 showing the male hose discharge at the opposite end of the washing machine electric valve hookup design; and,

FIG. 11 is an end elevational view of the washing machine electric valve hookup design of FIG. 7 showing the female intake at one end of the washing machine electric valve hookup design.

The broken line showing of a solenoid in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D499,794 S Page 2

U.S. PATENT DOCUMENTS	4,284,098 A * 8/1981 Kruschik
D450,000 G * 0/4040 NCG 1 D00/005	D335,331 S * 5/1993 Weingarten
D152,809 S * 2/1949 McCauley	D351,897 S * 10/1994 Keeslar
2,579,982 A * 12/1951 Lewis	
3,374,522 A * 3/1968 Boteler	D394,700 S * 5/1998 Emmins
D213,104 S * 1/1969 Towsend	
3,802,462 A * 4/1974 Trosch	* cited by examiner

