

US00D499804S

(12) **United States Design Patent** (10) **Patent No.:** **US D499,804 S**
Sherman (45) **Date of Patent:** **** Dec. 14, 2004**

(54) **EYEDROPPER POSITIONING DEVICE**

* cited by examiner

(76) Inventor: **Thomas Sherman**, 3822 N. 34th St.,
Phoenix, AZ (US) 85018

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Sally Shih

(74) *Attorney, Agent, or Firm*—The Halvorson Law Firm

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/193,347**

The ornamental design for eyedropper positioning device, as shown and described.

(22) Filed: **Nov. 7, 2003**

(51) **LOC (7) Cl.** **24-04**

(52) **U.S. Cl.** **D24/127**

(58) **Field of Search** D24/127, 115,
D24/120, 128, 140, 133; 604/302, 300,
295, 294

DESCRIPTION

FIG. 1 is a perspective view, according to the present invention;

FIG. 2 is an alternate perspective view, according to the present invention

FIG. 3 is a view of the front, according to the present invention;

FIG. 4 is a view of the back, according to the present invention;

FIG. 5 is a view of the side, according to the present invention;

FIG. 6 is a view of another side, according to the present invention;

FIG. 7 is a view of the top side, according to the present invention; and,


FIG. 8 is a view of the bottom side, according to the present invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D244,670 S	*	6/1977	Winikoff	D24/127
4,085,750 A	*	4/1978	Bosshold	604/302
D249,709 S	*	9/1978	Trovinger	D24/127
D265,508 S	*	7/1982	Rusteberg	D24/128
4,834,727 A	*	5/1989	Cope	604/300
5,154,710 A	*	10/1992	Williams	604/301
D368,774 S	*	4/1996	Py	D24/113
6,371,945 B1		4/2002	Sherman	604/302
D457,952 S		5/2002	Sherman	D24/127
D463,550 S		9/2002	Sherman	D24/127
6,530,908 B1		3/2003	Sherman	604/300

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8