



US00D499835S

(12) **United States Design Patent**
Yu et al.

(10) **Patent No.:** **US D499,835 S**
(45) **Date of Patent:** **** Dec. 14, 2004**

(54) **LIGHT GUIDE PLATE**

(75) **Inventors:** **Tai-Cheng Yu**, Tu-Chen (TW); **Charles Leu**, Fremont, CA (US); **Ga-Lane Chen**, Fremont, CA (US)

(73) **Assignee:** **Hon Hai Precision Ind. Co., Ltd.**, Taipei Hsien (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/170,103**

(22) **Filed:** **Oct. 30, 2002**

(30) **Foreign Application Priority Data**

Oct. 9, 2002 (TW) 91305757

(51) **LOC (7) Cl.** **26-99**

(52) **U.S. Cl.** **D26/122**

(58) **Field of Search** D26/113, 118, D26/120, 122; D14/248, 448; 362/31, 558; 349/61, 64, 65, 113, 115; 359/594, 599

(56) **References Cited**

U.S. PATENT DOCUMENTS

D227,608 S * 7/1973 Nagel D26/122
5,579,134 A * 11/1996 Lengyel 349/62

6,147,804 A * 11/2000 Kashima et al. 359/599
6,273,577 B1 * 8/2001 Goto et al. 362/31
2001/0050736 A1 * 12/2001 Lee et al. 349/65
2002/0041441 A1 * 4/2002 Wang 359/599

FOREIGN PATENT DOCUMENTS

KR 2000051213 A * 8/2000
KR 2001081523 A * 8/2001

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Wei Te Chung

(57) **CLAIM**

The ornamental design for a light guide plate, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light guide plate of our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7