



US00D499843S

(12) **United States Design Patent**
Nakasuka

(10) **Patent No.:** **US D499,843 S**
(45) **Date of Patent:** **** Dec. 14, 2004**

(54) **BLADE FOR SAFETY RAZOR**

(75) Inventor: **Hiroyuki Nakasuka, Gifu (JP)**

(73) Assignee: **Kai R&D Center Co., Ltd., Gifu (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/182,049**

(22) Filed: **May 20, 2003**

(30) **Foreign Application Priority Data**

Nov. 20, 2002 (JP) 2002-032003

(51) **LOC (7) Cl.** **28-03**

(52) **U.S. Cl.** **D28/47**

(58) **Field of Search** D28/44, 44.1,
D28/45-47; 30/32, 34.05, 34.1, 34.2, 48-52,
57, 67, 346.56, 346.5, 346.54, 346.57, 346.58

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,630,275 A * 5/1997 Wexler 30/50

D379,675 S * 6/1997 Ichiyanagi D28/47
2002/0046465 A1 * 4/2002 McCool et al. 30/50

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a blade for safety razor, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a blade for safety razor showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof, the left side being a mirror image thereof; and,

FIG. 6 is an enlarged sectional view taken along the line 6—6 of FIG. 1.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

