

US00D500274S

(12) **United States Design Patent** (10) **Patent No.:** **US D500,274 S**
Pfeiffer (45) **Date of Patent:** **** Dec. 28, 2004**

(54) **SURFACE CONFIGURATION OF A SIDE MIRROR FOR A VEHICLE**

(75) Inventor: **Peter Pfeiffer**, Boeblingen (DE)
(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)
(**) Term: **14 Years**

(21) Appl. No.: **29/204,532**
(22) Filed: **Apr. 30, 2004**

(30) **Foreign Application Priority Data**

Nov. 3, 2003 (DE) 4 03 06 969

(51) **LOC (7) Cl.** **12-16**
(52) **U.S. Cl.** **D12/187**
(58) **Field of Search** D12/187-189;
359/838-851, 855-868, 871-881

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,570 S * 5/1990 Swanson D12/187
D410,421 S * 6/1999 Pfeiffer D12/187
D445,386 S * 7/2001 Sacco et al. D12/187
D453,721 S * 2/2002 Papke et al. D12/187
D463,342 S * 9/2002 Sinkwitz D12/187
D463,766 S * 10/2002 Murkett D12/187
6,592,255 B1 * 7/2003 Duroux et al. 374/162
D484,837 S * 1/2004 Liu D12/187
D485,521 S * 1/2004 Kuo D12/187

* cited by examiner

Primary Examiner—Melody N. Brown
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a side mirror for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 2 is a rear perspective view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 3 is a rear view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 4 is a top view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 5 is a side view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 6 is a bottom view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 7 is a front view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 8 is a front perspective view of a second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 9 is a rear perspective view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 10 is a rear view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 11 is a top view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;


FIG. 12 is a side view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;

FIG. 13 is a bottom view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design; and,

FIG. 14 is a front view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14