



US00D500379S

(12) **United States Design Patent**  
**Künzler**

(10) **Patent No.:** **US D500,379 S**

(45) **Date of Patent:** **\*\* Dec. 28, 2004**

(54) **LIGHTING DEVICE**

(75) **Inventor:** **Udo Künzler, Karlsbad (DE)**

(73) **Assignee:** **GLP Light Production GmbH,**  
**Karlsbad (DE)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/187,321**

(22) **Filed:** **Jul. 31, 2003**

(30) **Foreign Application Priority Data**

Feb. 4, 2003 (DE) ..... 403 00 968

(51) **LOC (7) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/63; D26/72**

(58) **Field of Search** ..... D26/61, 63-65,  
D26/72, 83, 88; 362/267, 269, 281, 285,  
287, 418, 419, 427, 430

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D98,105 S \* 1/1936 Arenberg ..... D26/24

D392,764 S \* 3/1998 Balish, Jr. .... D26/85  
D400,277 S \* 10/1998 Ewing et al. .... D26/67  
D432,257 S \* 10/2000 Ewing ..... D26/85  
D439,001 S \* 3/2001 Pan ..... D26/87

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Rabin & Berdo, P.C.

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.




**DESCRIPTION**

FIG. 1 is a front perspective view showing my new design of a lighting device. The housing of the lighting device is symmetrical front to back, and left to right.

FIG. 2 is a right-hand perspective view of the design shown in FIG. 1; and,

FIG. 3 is a further perspective view of the design shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3