

US00D500433S

(12) **United States Design Patent**
Klaas

(10) **Patent No.:** **US D500,433 S**

(45) **Date of Patent:** **** Jan. 4, 2005**

(54) **WEDGE BOLT REMOVAL TOOL**

(76) **Inventor:** **Jeremiah Klaas**, 17 Hartzell Rd., N.
Benton, OH (US) 44449

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/200,904**

(22) **Filed:** **Mar. 8, 2004**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/14**

(58) **Field of Search** D8/14; 30/272.1;
408/72 B

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,000,097 A * 9/1961 Hartz 30/272.1
- D220,377 S * 4/1971 Benfer D8/14
- D386,654 S * 11/1997 Kosmyna D8/14
- D400,066 S * 10/1998 Kelsey et al. D8/14
- 5,947,654 A * 9/1999 Blankenship et al. 408/72 B

- D440,837 S * 4/2001 Hart et al. D8/14
- D450,985 S * 11/2001 Kiehl D8/14
- D484,757 S * 1/2004 Logan D8/14

* cited by examiner

Primary Examiner—Holly Baynham

(74) *Attorney, Agent, or Firm*—Harpman & Harpman

(57) **CLAIM**

The ornamental design for a wedge bolt removal tool, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a wedge bolt removal tool; FIG. 2 is a front elevational view thereof, the rear being a mirror image;

FIG. 3 is a top elevational view thereof;

FIG. 4 is a left side elevational view thereof; and,

FIG. 5 is a right side elevational view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5