

#### US00D500452S

## (12) United States Design Patent (10) Patent No.:

US D500,452 S Jan. 4, 2005 (45) Date of Patent: Itsubo

| (54)  | WATCH                 |                                    | D464,274 S   | * 10/2002 Strasser D1                                    | 10/32 |  |
|---|-----------------------|------------------------------------|--|--|-------|--|
| ` /   |                       |                                    | D466,030 S   | * 11/2002 Houlihan D1                                    | 10/30 |  |
| (75)  | Inventor              | Kazutoshi Itsubo, Tokyo (JP)       | D475,305 S   | * 6/2003 Tavenas D1                                      | 10/39 |  |
| (15)  | mventor.              | ikuzutosiii itsuoo, ionyo (31)     | •  | * 3/2004 Dubarry D1                                      |       |  |
| (73)  | Assignee              | Seiko Watch Kabushiki Kaisha (JP)  | D487,402 S   | •  |       |  |
| (13)  | Assignee.             | Scho watch Kabushiki Kaisha (31)   |  |  | •     |  |
| (**)  | Term:                 | 14 Years                           | * cited by examiner  |  |       |  |
|   |                       |                                    | Drimary Evamina  | ar Nelson C. Holtie                                      |       |  |
| (21)  | Appl. No.: 29/194,528 |                                    | Primary Examiner—Nelson C. Holtje                          |  |       |  |
| (21)  |                       |                                    | (74) Attorney, Agent, or Firm—Saidman DesignLaw Group      |  |       |  |
| (22)  | Filed:                | Nov. 25, 2003                      | (57)   | CLAIM  |       |  |
| (51)  | I OC (7) Cl           |                                    |  |  |       |  |
|   | 1) LOC (7) Cl         |                                    | The ornamental design for a watch, as shown and described. |  |       |  |
| (52)  |                       |                                    | DESCRIPTION  |  |       |  |
| (58)  |                       |                                    | DESCRII I ION  |  |       |  |
| ` /   |                       | 368/280–282, 276–277, 285, 294–295 |  | FIG. 1 is a front perspective view of a watch showing my |       |  |
|   |                       |                                    | new design;  | porspoored traction sine tring                           | , ,   |  |
| (56)  | References Cited      |                                    | <i>O</i> ′   | wiew thereof   |       |  |
| (50)  |                       |                                    | FIG. 2 is a front view thereof;                            |  |       |  |
|   | U.S. PATENT DOCUMENTS |                                    | FIG. 3 is a rear view thereof;                             |  |       |  |
| TO TO TO THE TO THE TOTAL TOTAL TO THE TOTAL TOTAL TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL |                       |                                    | FIG. 4 is a top plan view thereof, the bottom view being a |  |       |  |
| D352,470 S * 11/1994 Besson   |                       | mirror image thereof;              |  |  |       |  |
|   | D396,649 S            | * 8/1998 Sugisawa D10/30           | FIG. 5 is a left-s   | side view thereof; and,                                  |       |  |
|   |                       | * 0/1000 D-1 D10/20                |  | · · · · · · · · · · · · · · · · · · ·                    |       |  |

### 1 Claim, 3 Drawing Sheets

FIG. 6 is a right-side view thereof.




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5





Fig.6



# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : Des. 500,452 S

DATED : January 4, 2005 INVENTOR(S) : Kazutoshi Itsubo

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Title page,

Item [56], **References Cited**, OTHER PUBLICATIONS, please insert the following: -- Official Japanese Gazette; Japanese Design Registration No. 822288, Issued 11/15/1991; page 173

Official Japanese Gazette; Japanese Design Registration No. 822289, Issued 11/15/1991; page 175

Official Japanese Gazette; Japanese Design Registration No. 842932, Issued 07/20/1992; page 129

Official Japanese Gazette; Japanese Design Registration No. 842960, Issued 07/21/1992; page 151

Official Japanese Gazette; Japanese Design Registration No. 842964, Issued 07/21/1992; page 157

Official Japanese Gazette; Japanese Design Registration No. 844119, Issued 07/30/1992; page 111

Official Japanese Gazette; Japanese Design Registration No. 855082, Issued 12/11/1992; page 183

Official Japanese Gazette; Japanese Design Registration No. 868891, Issued 05/20/2002; page 83

Official Japanese Gazette; Japanese Design Registration No. 1156454, Issued 10/28/2002; page 13

Official Japanese Gazette; Japanese Design Registration No. 1174342, Issued 06/03/2003; page 21

Official Japanese Gazette; Japanese Design Registration No. 1009931, Issued 05/18/1998; page 135 --

Signed and Sealed this

Fifth Day of April, 2005

JON W. DUDAS

Director of the United States Patent and Trademark Office