

US00D500565S

(12) **United States Design Patent** (10) **Patent No.:** **US D500,565 S**  
**Hoelzel et al.** (45) **Date of Patent:** **\*\* Jan. 4, 2005**

(54) **SURFACE CONFIGURATION OF A  
HEADLIGHT FOR A VEHICLE**

(75) Inventors: **Guenter Hoelzel**, Hochdorf (DE); **Peter  
Pfeiffer**, Boeblingen (DE); **Stephen  
Mattin**, Sindelfingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/202,220**

(22) Filed: **Mar. 29, 2004**

#### Related U.S. Application Data

(63) Continuation-in-part of application No. 29/189,481, filed on  
Sep. 8, 2003, now Pat. No. Des. 493,902.

#### (30) Foreign Application Priority Data

Mar. 7, 2003	(DE)	40301893
Mar. 7, 2003	(DE)	40301894
Oct. 9, 2003	(DE)	40306494

(51) **LOC (7) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36; 362/457-468,  
362/475-478, 485-487

#### (56) References Cited

##### U.S. PATENT DOCUMENTS

D457,668 S	*	5/2002	Dalton et al.	D26/28
D471,301 S	*	3/2003	Wu	D26/28

D471,999 S	*	3/2003	Yoshida et al.	D26/28
D473,665 S	*	4/2003	Tanabe et al.	D26/28
D476,430 S	*	6/2003	Ikuma et al.	D26/28
D479,755 S	*	9/2003	Yanada	D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

#### (57) CLAIM

The ornamental design for a surface configuration of a  
headlight for a vehicle, as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a  
surface configuration of a headlight for a vehicle according  
to our novel design;

FIG. 2 is a front view of the first embodiment of the surface  
configuration of a headlight for a vehicle according to our  
novel design;


FIG. 3 is a side view of the surface configuration of a  
headlight for a vehicle according to our novel design;

FIG. 4 is a perspective view of a second embodiment of the  
surface configuration of a headlight for a vehicle according  
to our novel design;

FIG. 5 is a front view of the second embodiment of the  
surface configuration of a headlight for a vehicle according  
to our novel design; and,

FIG. 6 is a side view of the second embodiment of the  
surface configuration of a headlight for a vehicle according  
to our novel design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6