

US00D500658S

(12) **United States Design Patent** (10) **Patent No.:** **US D500,658 S**
Wikkerink et al. (45) **Date of Patent:** **** Jan. 11, 2005**

(54) **DOOR ACTIVATOR**

(75) Inventors: **Lee Wikkerink**, Sturgeon Bay, WI (US); **Scott Rajchel**, Okauchee, WI (US)
(73) Assignee: **WIKK Industries, Inc.**, Greendale, WI (US)
(**) Term: **14 Years**

(21) Appl. No.: **29/161,540**
(22) Filed: **May 29, 2002**

(51) **LOC (7) Cl.** **08-06**
(52) **U.S. Cl.** **D8/301**
(58) **Field of Search** D8/300, 301, 302, D8/321; 292/92-94, DIG. 54, DIG. 65, 347; 70/92

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,444 S	*	7/1978	Folger et al.	D8/302
4,968,070 A	*	11/1990	Choi	292/92
D318,410 S	*	7/1991	Mohn	D8/302
D433,307 S	*	11/2000	Hickman et al.	D8/321
6,145,897 A	*	11/2000	Locher	292/92
D451,359 S	*	12/2001	DePass	D8/302

OTHER PUBLICATIONS

Wikk Industries, Inc., Elongated Switch Model No. 4X36P5B; on information and belief sold in US prior to May 21, 2001.

* cited by examiner

Primary Examiner—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Skinner & Associates

(57) **CLAIM**

The ornamental design for a door activator, as shown and described.

DESCRIPTION

The design is for a door activation device. The activator includes a switch and operates an automatic door when it is pressed by a pedestrian or bumped by a wheelchair, cane, hip or the like.

FIG. 1 is a perspective view of a door activator showing an embodiment of the design of this invention.


FIG. 2 is a front view thereof.

FIG. 3 is a side view thereof, the opposite side being symmetrical.

FIG. 4 is a back view thereof; and,

FIG. 5 is a top view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5