

US00D500751S

(12) **United States Design Patent** (10) **Patent No.:** **US D500,751 S**  
**Yukikado et al.** (45) **Date of Patent:** **\*\* Jan. 11, 2005**

(54) **OUTDOOR INTERCOM UNIT** JP D1123600 10/2001  
 JP D1127988 12/2001  
 (75) Inventors: **Kouji Yukikado, Saijyoshi (JP);** JP D1142263 5/2002  
**Tamotsu Senda, Onsengun (JP)** JP D1177896 6/2003  
 JP D1191303 12/2003  
 JP D1193967 1/2004  
 (73) Assignee: **Matsushita Electric Industrial Co.,**  
**Ltd., Osaka (JP)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/201,359**

(22) Filed: **Mar. 15, 2004**

(30) **Foreign Application Priority Data**

Dec. 25, 2003 (JP) ..... 2003-038145

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/159**

(58) **Field of Search** ..... D10/104, 106;  
D14/142, 146, 158-159, 240, 155, 243;  
340/539, 571-573; 342/419, 450; 379/167.05,  
167.14

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D283,130 S \* 3/1986 Boenning ..... D14/159  
 4,809,320 A \* 2/1989 Hawkins et al. .... 379/167.05  
 4,843,461 A \* 6/1989 Tatsumi et al. .... 348/156  
 D313,593 S \* 1/1991 Morooka ..... D14/159  
 D313,594 S \* 1/1991 Morooka ..... D14/159

**FOREIGN PATENT DOCUMENTS**

JP D739708/1 8/1988  
 JP D749952 11/1988  
 JP D805206 1/1991  
 JP D1057653 1/2000  
 JP D1091295 11/2000

**OTHER PUBLICATIONS**

Toshiba Lighting & Technology Corporation, 1998-2002.  
 [retrieved on Dec. 17, 2003]. Retrieved from the internet:  
 <[http://www.tlt.co.jp/tlt/new/htv\\_hfc/htv\\_hfc.htm](http://www.tlt.co.jp/tlt/new/htv_hfc/htv_hfc.htm)>.  
 National Electric Works, 2003, [retrieved on Dec. 17, 2003].  
 Retrieved from the internet: <[http://www.mew.co.jp/Ebox/HA/a\\_syohin\\_info/c1/c1.html](http://www.mew.co.jp/Ebox/HA/a_syohin_info/c1/c1.html)>.  
 A copy of a catalog published by Airphone, Jul. 1, 2003.

\* cited by examiner

*Primary Examiner*—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione


(57) **CLAIM**

The ornamental design for an outdoor intercom unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of an outdoor intercom unit of the present invention;  
 FIG. 2 is a top view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a bottom view thereof;  
 FIG. 5 is a first side view thereof; and,  
 FIG. 6 is a second side view thereof.  
 The rear surface of the outdoor intercom unit of the present invention is flat and unornamented.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6