



US00D500874S

(12) **United States Design Patent**
Hoelzel et al.

(10) **Patent No.:** **US D500,874 S**
(45) **Date of Patent:** **** Jan. 11, 2005**

(54) **SURFACE CONFIGURATION OF A
TAILLIGHT FOR A VEHICLE**

D493,901 S * 8/2004 Hoelzel et al. D26/28

* cited by examiner

(75) Inventors: **Guenter Hoelzel**, Hochdorf (DE); **Peter
Pfeiffer**, Boeblingen (DE); **Stephen
Mattin**, Sindelfingen (DE)

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for a surface configuration of a
taillight for a vehicle, as shown and described.

(21) Appl. No.: **29/202,219**

DESCRIPTION

(22) Filed: **Mar. 29, 2004**

This application is related to co-pending application Ser. No.
29/189,489 entitled Surface Configuration of a Vehicle, Toy
and/or Other Replicas.

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/189,480, filed on
Sep. 8, 2003, now Pat. No. Des. 493,901.

FIG. 1 is a perspective view of a first embodiment of a
surface configuration of a taillight for a vehicle according to
our novel design;

(30) **Foreign Application Priority Data**

Mar. 7, 2003 (DE) 40301893
Mar. 7, 2003 (DE) 40301894
Oct. 9, 2003 (DE) 40306494

FIG. 2 is a front view of the first embodiment of the surface
configuration of a taillight for a vehicle according to our
novel design;

(51) **LOC (7) Cl.** **26-06**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36; 362/457-468,
362/475-478, 485-487

FIG. 3 is a side view of the surface configuration of a
taillight for a vehicle according to our novel design;

FIG. 4 is a perspective view of a second embodiment of the
surface configuration of a taillight for a vehicle according to
our novel design;

FIG. 5 is a front view of the second embodiment of the
surface configuration of a taillight for a vehicle according to
our novel design; and,


FIG. 6 is a side view of the second embodiment of the
surface configuration of a taillight for a vehicle according to
our novel design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D462,797 S * 9/2002 Otsubo D26/28
D472,657 S * 4/2003 Pfeiffer et al. D26/28
D484,257 S * 12/2003 Hirai et al. D26/28

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6