

US00D500874S

(12) **United States Design Patent** (10) **Patent No.:** **US D500,874 S**  
**Hoelzel et al.** (45) **Date of Patent:** **\*\* Jan. 11, 2005**

(54) **SURFACE CONFIGURATION OF A  
TAILLIGHT FOR A VEHICLE**

(75) Inventors: **Guenter Hoelzel**, Hochdorf (DE); **Peter  
Pfeiffer**, Boeblingen (DE); **Stephen  
Mattin**, Sindelfingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/202,219**

(22) Filed: **Mar. 29, 2004**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/189,480, filed on  
Sep. 8, 2003, now Pat. No. Des. 493,901.

(30) **Foreign Application Priority Data**

Mar. 7, 2003 (DE) ..... 40301893  
Mar. 7, 2003 (DE) ..... 40301894  
Oct. 9, 2003 (DE) ..... 40306494

(51) **LOC (7) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28–36; 362/457–468,  
362/475–478, 485–487

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D462,797 S \* 9/2002 Otsubo ..... D26/28  
D472,657 S \* 4/2003 Pfeiffer et al. .... D26/28  
D484,257 S \* 12/2003 Hirai et al. .... D26/28

D493,901 S \* 8/2004 Hoelzel et al. .... D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a  
taillight for a vehicle, as shown and described.

**DESCRIPTION**

This application is related to co-pending application Ser. No.  
29/189,489 entitled Surface Configuration of a Vehicle, Toy  
and/or Other Replicas.

FIG. 1 is a perspective view of a first embodiment of a  
surface configuration of a taillight for a vehicle according to  
our novel design;

FIG. 2 is a front view of the first embodiment of the surface  
configuration of a taillight for a vehicle according to our  
novel design;


FIG. 3 is a side view of the surface configuration of a  
taillight for a vehicle according to our novel design;

FIG. 4 is a perspective view of a second embodiment of the  
surface configuration of a taillight for a vehicle according to  
our novel design;

FIG. 5 is a front view of the second embodiment of the  
surface configuration of a taillight for a vehicle according to  
our novel design; and,

FIG. 6 is a side view of the second embodiment of the  
surface configuration of a taillight for a vehicle according to  
our novel design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6