

(12) United States Design Patent (10) Patent No.:

Lewis et al.

US D500,878 S

(45) Date of Patent:

Jan. 11, 2005

LIGHTING FIXTURE

Inventors: Paul Lewis, New York, NY (US);

David J. Lewis, New York, NY (US); Marc Tsurumaki, New York, NY (US)

Assignee: Ivalo Lighting Inc., Willow Grove, PA

(US)

14 Years Term:

Appl. No.: 29/186,443

Jul. 16, 2003 Filed:

U.S. Cl. D26/76

(58)D26/82, 84, 90, 91; 362/217–225

(56)**References Cited**

U.S. PATENT DOCUMENTS

D135,256	S	*	3/1943	Hrabak 362/217
D136,382	S	*	9/1943	Guth 362/217
D147,467	S	*	9/1947	Meyer D26/76
D186,855	S	*	12/1959	Guth, Jr D26/76
D465,049	S	*	10/2002	Ludwig D26/78

^{*} cited by examiner

Primary Examiner—Clare E Heflin

(74) Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP

(57)CLAIM

The ornamental design for a lighting fixture, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a first embodiment of the invention with portions shown in dotted lines to indicate an environment of use.

FIG. 2 is a front, bottom and left side perspective view of the first embodiment with portions shown in dotted lines to indicate an environment of use.

FIG. 3 is a front elevation view of the first embodiment.

FIG. 4 is a top plan view of the first embodiment.

FIG. 5 is a left side elevation view of the first embodiment, the right side elevation being a mirror image thereof.

FIG. 6 is a rear elevation view of the first embodiment.

FIG. 7 is a bottom plan view of the first embodiment.

FIG. 8 is a cross-sectional view of the first embodiment taken along line 8—8 in FIG. 3.

FIG. 9 is a cross-sectional view of the first embodiment taken along line 9—9 in FIG. 3.

FIG. 10 is a top, front and left side perspective view similar to FIG. 1 of a second embodiment of the invention which differs from the first embodiment in that the non-horizontal surfaces are longitudinally striated.

FIG. 11 is a front, bottom and left side perspective view similar to FIG. 2 of the second embodiment.

FIG. 12 is a front elevation view of the second embodiment.

FIG. 13 is a top plan view of the second embodiment.

FIG. 14 is a left side elevation view of the second embodiment, the right side elevation being a mirror image thereof.

FIG. 15 is a rear elevation view of the second embodiment.

FIG. 16 is a bottom plan view of the second embodiment.

FIG. 17 is a cross-sectional view of the second embodiment taken along line 17—17 in FIG. 12.

FIG. 18 is a cross-sectional view of the second embodiment taken along line 18—18 in FIG. 12.

FIG. 19 is a top, front and left side perspective view similar to FIG. 1 showing a third embodiment of the invention which differs from the first embodiment in that it is symmetrical relative to a longitudinally extending central vertical plane.

FIG. 20 is a front, bottom and left side perspective view similar to FIG. 2 of the third embodiment.

FIG. 21 is a front elevation view of the third embodiment.

FIG. 22 is a top plan view of the third embodiment.


FIG. 23 is a left side elevation view of the third embodiment, the right side elevation being identical.

FIG. 24 is a rear elevation view of the third embodiment.

FIG. 25 is a bottom plan view of the third embodiment.

FIG. 26 is a cross-sectional view of the third embodiment taken along line 26—26 in FIG. 21.

FIG. 27 is a cross-sectional view of the third embodiment taken along line 27—27 in FIG. 21.



US D500,878 S

Page 2

FIG. 28 is a top, front and left side perspective view similar to FIG. 19 of a fourth embodiment of the invention which differs from the third embodiment in that the non-horizontal surfaces are longitudinally striated.

FIG. 29 is a front, bottom and left side perspective view similar to FIG. 20 of the fourth embodiment.

FIG. 30 is a front elevation view of the fourth embodiment.

FIG. 31 is a top plan view of the fourth embodiment.

FIG. 32 is a left side elevation view of the fourth embodiment, the right side elevation being identical.


FIG. 33 is a rear elevation view of the fourth embodiment.


FIG. 34 is a bottom plan view of the fourth embodiment.


FIG. 35 is a cross-sectional view of the fourth embodiment taken along line 35—35 in FIG. 30; and,


FIG. 36 is a cross-sectional view of the fourth embodiment taken along line 36—36 in FIG. 30.


1 Claim, 20 Drawing Sheets











Jan. 11, 2005

FIG. 8









FIG. 9















Jan. 11, 2005


FIG. 17





























Jan. 11, 2005

US D500,878 S

