



US00D501265S

(12) **United States Design Patent**  
**Lin**

(10) **Patent No.:** **US D501,265 S**  
(45) **Date of Patent:** **\*\* Jan. 25, 2005**

(54) **EXTERIOR SURFACE CONFIGURATION OF  
A VEHICLE FRONT LIGHT**

(76) Inventor: **Yu-Chu Lin**, No. 477, Chung Shan N.  
Rd., Yung Kang City, Tainan Hsien  
(TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/204,810**

(22) Filed: **May 5, 2004**

(51) **LOC (7) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36; 362/459-468,  
362/473-476, 485-487

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D490,173 S	*	5/2004	Lin	.....	D26/28
D490,917 S	*	6/2004	Lin	.....	D26/28
D493,550 S	*	7/2004	Lin	.....	D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle front light, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view from the front left of an exterior surface configuration of a vehicle front light showing my present design;


FIG. 2 is a front view thereof;

FIG. 3 is a left view thereof; and,

FIG. 4 is a top view thereof.

This design represents one embodiment of a design for an exterior surface configuration of a vehicle front light. The drawings and descriptions represent the left side embodiment. The design also contemplates a mirror symmetrical embodiment on the right side of the vehicle. The dash line included denotes environment and is not part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4