

US00D501271S

(12) **United States Design Patent** (10) **Patent No.:** **US D501,271 S**  
**Barbeau et al.** (45) **Date of Patent:** **\*\* Jan. 25, 2005**

(54) **RECHARGEABLE LAMP SYSTEM**

(75) Inventors: **Stefane E. Barbeau**, Roxbury, MA (US); **Duane B. Smith**, Roxbury, MA (US); **Andreu Oslka**, Providence, RI (US)

(73) Assignee: **Vessel Inc**, Boston, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/196,944**

(22) Filed: **Jan. 7, 2004**

(51) **LOC (7) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/102**

(58) **Field of Search** ..... D26/25, 37, 93-112;  
320/115; 362/20, 184, 188, 190, 410-414,  
447, 806, 810

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D440,332 S \* 4/2001 Evans ..... D26/37  
D492,443 S \* 6/2004 Smith et al. .... D26/102

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Linda Brooks

(74) *Attorney, Agent, or Firm*—Albert Peter Durigon

(57) **CLAIM**

The ornamental design for a rechargeable lamp system, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a luminary of the rechargeable lamp system of the present invention;

FIG. 2 is a side elevational view of a luminary of the rechargeable lamp system of the present invention, the other side being identical;

FIG. 3 is a back elevational view of a luminary of the rechargeable lamp system of the present invention;

FIG. 4 is a plan view of the top of a luminary of the rechargeable lamp system of the present invention;

FIG. 5 is a plan view of the bottom of a luminary of the rechargeable lamp system of the present invention;

FIG. 6 is a plan view of the top of the recharging platter of the rechargeable lamp system of the present invention with both luminaries removed for clarity of illustration;

FIG. 7 is an end elevational view of the rechargeable lamp system of the present invention, the other end being a mirror image;



FIG. 8 is a side elevational view of the rechargeable lamp system of the present invention, the other side being substantially the same, except for the contours of the top projecting elements and lower mid-portion of the luminaries;


FIG. 9 is a plan view of the top of the rechargeable lamp system of the present invention; and,

FIG. 10 is a plan view of the bottom of the recharging platter of the rechargeable lamp system of the present invention.


One of the two identical luminaries is shown separately in FIGS. 1-5 for clarity of illustration.

**1 Claim, 3 Drawing Sheets**







*Fig. 4*




*Fig. 5*




*Fig. 1*



*Fig. 2*



*Fig. 3*



*Fig. 6*




Fig. 8






Fig. 7



*Fig. 9*



*Fig. 10*