

US00D501448S

(12) **United States Design Patent**  
**Ishikawa**

(10) **Patent No.:** **US D501,448 S**

(45) **Date of Patent:** **\*\* Feb. 1, 2005**

(54) **ELECTRICAL CONNECTOR**  
(75) **Inventor:** **Tetsuya Ishikawa, Tokyo (JP)**  
(73) **Assignee:** **Japan Aviation Electronics Industry, Limited, Tokyo (JP)**

5,885,092 A \* 3/1999 Ito et al. .... 439/74  
5,888,077 A \* 3/1999 Champion et al. .... 439/108  
6,132,258 A \* 10/2000 Kajinuma ..... 439/660  
D453,734 S \* 2/2002 Shimoyama et al. .... D13/147  
D471,872 S \* 3/2003 Kawase ..... D13/147  
D491,527 S \* 6/2004 Fan ..... D13/147

(\*\*) **Term:** **14 Years**

\* cited by examiner

(21) **Appl. No.:** **29/199,731**

*Primary Examiner*—Stella Reid

*Assistant Examiner*—Selina Sikder

(22) **Filed:** **Feb. 19, 2004**

(74) *Attorney, Agent, or Firm*—Collard & Roe, P.C.

(30) **Foreign Application Priority Data**

Aug. 19, 2003 (JP) ..... 2003-027856

(57) **CLAIM**

The ornamental design for an electrical connector, as shown and described.

(51) **LOC (7) Cl.** ..... **13-03**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D13/147**

(58) **Field of Search** ..... D13/147; 439/63,  
439/74, 83, 108, 181, 495, 570, 607, 637,  
910

FIG. 1 is a top plan view of an electrical connector;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,



FIG. 7 is a sectional view taken along a line 7—7 of FIG. 2.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,554,036 A \* 9/1996 Shirai et al. .... 439/74  
5,836,773 A \* 11/1998 McHugh et al. .... 439/74

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7