



US00D501473S

(12) **United States Design Patent**  
**Nakata**

(10) **Patent No.:** **US D501,473 S**  
(45) **Date of Patent:** **\*\* Feb. 1, 2005**

(54) **COORDINATE INPUT DEVICE**

(75) **Inventor:** **Takaaki Nakata, Saitama (JP)**

(73) **Assignee:** **Wacom Co., Ltd., Saitama-ken (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/197,469**

(22) **Filed:** **Jan. 16, 2004**

(30) **Foreign Application Priority Data**

Aug. 19, 2003 (JP) ..... 2003-023850

(51) **LOC (7) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/341**

(58) **Field of Search** ..... D14/341-346;  
D18/1, 2, 7; 235/145 A, 145 R; 341/22,  
23; 345/156, 168, 169, 172, 173; 349/12;  
361/680-686

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D319,434 S \* 8/1991 Lund ..... D14/341  
D346,366 S \* 4/1994 Kim et al. .... D14/342

D346,591 S \* 5/1994 Lee ..... D14/342  
D373,118 S \* 8/1996 Naruki ..... D14/342  
D451,505 S \* 12/2001 Iseki et al. .... D14/341

\* cited by examiner

*Primary Examiner*—Freda S. Nunn

(74) *Attorney, Agent, or Firm*—Liniak, Berenato & White, LLC

(57) **CLAIM**

I claim, the ornamental design of a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a coordinate input device according to the invention, with the broken line showing indicating a removable component;  
FIG. 2 is a bottom plan view thereof;  
FIG. 3 is a right side elevational view;  
FIG. 4 is a left side elevational view;  
FIG. 5 is a rear elevational view;  
FIG. 6 is a front elevational view; and,  
FIG. 7 is a rear perspective view.

**1 Claim, 5 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7

