

US00D501576S

(12) **United States Design Patent** (10) **Patent No.:** **US D501,576 S**
Opolka (45) **Date of Patent:** **** Feb. 1, 2005**

(54) **BAR LAMP**

(75) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibruder Optoelectronics GmbH**, Solingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/175,431**

(22) Filed: **Feb. 5, 2003**

(30) **Foreign Application Priority Data**

Aug. 10, 2002 (DE) 402 06 779

(51) **LOC (7) Cl.** **26-03**

(52) **U.S. Cl.** **D26/110**

(58) **Field of Search** D26/67, 68, 93-112;
362/410-414, 147, 153, 153.1, 431; 248/529,
530

(56) **References Cited**

U.S. PATENT DOCUMENTS

D148,229 S * 12/1947 Galehouse D26/110

3,476,929 A * 11/1969 Klinger 362/431 X

D223,589 S * 5/1972 Waddell D26/104

6,264,350 B1 * 7/2001 Swanson 362/414

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Linda Brooks

(74) *Attorney, Agent, or Firm*—Herbert Dubno

(57) **CLAIM**


The ornamental design for a bar lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a bar lamp showing my new design;

FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is an exploded perspective view thereof;
 FIG. 8 is an exploded rear elevational view thereof with the cap and pike unscrewed from the bar;
 FIG. 9 is a right side elevational view thereof, with the bottom portion of the lamp broken away to show the pike and cap in place;
 FIG. 10 is an exploded front elevational view thereof with the cap and pike unscrewed from the bar;
 FIG. 11 is a left side elevational view thereof with the cap broken away;
 FIG. 12 is an exploded top plan view thereof with the cap and pike unscrewed from the bar;
 FIG. 13 is an exploded bottom plan view thereof with the cap and pike unscrewed from the bar;
 FIG. 14 is an exploded rear elevational view thereof with the cap unscrewed from the pike;
 FIG. 15 is a left side elevational view thereof, with the cap broken away to show the pike in place;
 FIG. 16 is an exploded front elevational view thereof with the cap unscrewed from the pike;
 FIG. 17 is an exploded bottom plan view thereof with the cap unscrewed from the pike;
 FIG. 18 is an exploded top plan view thereof with the cap unscrewed from the pike;
 FIG. 19 is a front elevational view thereof with the pike reversed and the cap removed;
 FIG. 20 is a right side elevational view thereof with the cap in place and the pike reversed;
 FIG. 21 is a rear elevational view thereof with the cap removed and the pike reversed; and,
 FIG. 22 is a left side elevational view thereof, with the cap broken away to show the pike in place, but in the reversed position.

1 Claim, 5 Drawing Sheets



© FIG.6



FIG.2



FIG.3



FIG.1



FIG.4

© FIG.5




FIG. 7

 FIG.12




FIG.8



FIG.9




FIG.10



FIG.11

 FIG.13

FIG.18




FIG.14




FIG.16



FIG.15

FIG.17



FIG. 21




FIG. 20




FIG. 19




FIG. 22