

US00D501606S

(12) **United States Design Patent**
Belt et al.

(10) **Patent No.: US D501,606 S**
(45) **Date of Patent: ** Feb. 8, 2005**

(54) **BRUSH**

4,640,638 A * 2/1987 Bokmiller et al. 401/146 X
6,154,913 A * 12/2000 Burton 15/160
6,623,201 B2 * 9/2003 Brumlik 401/279

(75) Inventors: **Marcel Belt**, Wayne, NJ (US); **Leonard Spitzer**, Montvale, NJ (US); **John Eugene Studer**, Morris Plains, NJ (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Reckitt Benckiser Inc.**, Wayne, NJ (US)

DE 4224788 A1 * 2/1994 A47K/11/10

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/179,390**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor

(22) Filed: **Apr. 9, 2003**

(74) *Attorney, Agent, or Firm*—Norris McLaughlin & Marcus PA

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Oct. 10, 2002 (GB) 3007637

The ornamental design for a brush, as shown and described.

(51) **LOC (7) Cl.** **04-01**

DESCRIPTION

(52) **U.S. Cl.** **D4/114; D4/102; D4/128; D4/129**

FIG. 1 is a side perspective view of the brush.
FIG. 2 is an elevation view of the back of the brush.
FIG. 3 is an elevation view of the front of the brush.
FIG. 4 is an elevation view of a side of the brush.
FIG. 5 is a plan view from the top of the brush.
FIG. 6 is a plan view from the bottom of the brush; and,
FIG. 7 is a side perspective view of the brush in a brush holder.

(58) **Field of Search** D4/100, 102, 114, D4/128, 129, 130; 15/22.1, 23–24, 28–29, 143.1, 159.1, 160, 164; 401/188 R, 190, 268, 270, 276, 278, 279, 143, 146


(56) **References Cited**

No claim is made to the brush holder depicted by broken lines.

U.S. PATENT DOCUMENTS

3,026,552 A * 3/1962 Price 15/28 X
4,534,669 A * 8/1985 Heck et al. 401/146 X

1 Claim, 3 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.